# HP Color LaserJet Managed MFP E877dn Printer Series



#### Powerful, Flexible, Secure,

Change is the only constant in business. Transform your business with a printer that can be upgraded over time to expand capabilities. With HP's most secure printers you'll stay secure and simplify fleet management for busy IT pros.



# Unleash peak productivity

- Tackle anything with our powerful CPU. Maximize your productivity and increase your overall print performance by copying, scanning and printing documents of all sizes at virtually full speed.
- Get time back with industry leading print speeds up to 70ppm.<sup>2</sup>
- Easily enable workflows across your fleet with a consistent user experience and intuitive, tablet-like icons on the 25.65 cm (10.1-inch) color touchscreen display.
- Maintain productivity and stay up to date on the latest features across your fleet with upgradeable HP FutureSmart firmware.<sup>3</sup>

## Customizable solutions built to last

- Make your day-to-day easier by customizing your print experience with cloud-connected HP Workpath apps that let you access personalized content, integrate paper and digital workflows.<sup>4</sup>
- Unleash your creativity and match any office décor with modern designs and the option of five customizable color panels.
- Give your team what they need to succeed with the HP Open Extensibility Platform containing hundreds of HP and third-party solutions as well as card reader support.
- Make color management simple & seamless with our HP Custom Color Manager. Match color output of any document/device combination without the hassle of expensive color matching systems.

# Always on guard with HP Wolf Security

- With HP Sure Start always working behind the scenes, the operating code (BIOS) is automatically checked during start-up and repairs itself if compromised.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware so you can stay connected and in the clear.
- Run-time intrusion detection is always on guard. Common Criteria certified<sup>6</sup> to continually monitor memory activity to keep you safe, detecting and stopping attacks in real time.
- HP Memory Shield™ is an embedded security feature that helps prevent a wide variety of malware attacks from redirecting the execution flow of a program.

# Better printing, for a better planet

- The fiber-based packaging, including outer box and interior fiber-based cushions, for this product is 100% sustainably sourced, meaning it's made from recycled or certified content.<sup>7</sup>
- Our devices are made with the planet in mind with energy-efficient printing and toner cartridges made from more than 57% recycled plastic. Printing that puts the planet first.
- Our improved energy efficient designs meet the rigorous criteria of EPEAT Gold, Energy Star, and Blue Angel.<sup>9</sup>
- With formulas that meet current indoor air quality standards, our ultra-low melt toner is efficient for both printing and the planet.

#### Product walkaround

- 1. Hardware Integration Pocket (for connecting accessories and third-party devices)
- 2. Flatbed scanner handles sheets up to 297 x 432 mm
- 3. 500-sheet output bin
- 4. Automatic two-sided printing
- 5. Easy-access USB port<sup>2</sup>
- 6. Front door access to toner cartridges
- 7. HP High-Performance Secure Hard Disk
- 8. Slot for cable-type security lock
- 9. SuperSpeed USB 3.0 Host Port
- 10. Hi-Speed USB 2.0 Host Port
- 11. Gigabit Ethernet Port
- 12. Hi-Speed USB 3.0 device port
- 13. 520-sheet tray 3 supports media sizes up to A3
- 14. 300-sheet single pass dual side ADF supports media sizes up to A3
- 15. 10.1 inch (25.6 cm) color touchscreen display
- 16. Power button
- 17. Right door access to the print path
- 18. 100-sheet multipurpose tray 1 supports media sizes up to A3
- 19. 520-sheet tray 2 supports media sizes up to A4
- 20. Optional 2 x 520-sheet dual tray/stand supports media sizes up to A3



# Series at a glance

series at a glarice				
Model	HP Color Laser Jet Managed MFP E877dn			
Product number	5QK03A	5QK03A (Base) + 8EP60AAE (Speed license)	5QK03A (Base) + 8EP61AAE (Speed license)	5QK03A (Base) + 8EP62AAE (Speed license)
Print speed (A4 and letter, black and color) <sup>3</sup>	Up to 40 ppm	Up to 50 ppm	Up to 60 ppm	Up to 70 ppm
Scan speed(A4 and letter, black and color)4	90 ppm/180 ipm, simplex/duplex			
Functions	Print, copy, and scan (fax and wireless optional) (all models)			
ADF capacity	200 sheets			
Input capacity	Standard: 1,140 sheets; Maximu	ım: 6,140 sheets (all models)		
Advanced workflow features	No			

# Top features

Get more done faster with industry leading printing, scanning and copying speeds, maximum uptime – powered by HP's custom designed quadcore processor.

Tailored on-device and cloud connected solutions to help optimize your workflows with flexibility to support your workforce today and evolve to meet your demands for tomorrow.

HP Wolf Enterprise Security provides the world's most secure printing through industry leading multi-layer, self-healing security that protects, detects, and adapts to new threats. We keep trouble out so you can keep your business running.

Save resources with our energy efficient printing that meets EPEAT Gold, Blue Angel and Energy Star standards; supporting HP's goal for carbon neutrality and a fully sustainable economy.

# Services and Solutions

Service and Support	U03HDE HP 1 year Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HGE HP 3 year Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HGE HP 4 year Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HSPE HP 1 year Post Warranty Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HSPE HP 1 year Post Warranty Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HTPE HP 1 year Post Warranty Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HME HP 1 year Parts Exchange Service for Color LaserJet Managed MFP E877xx (Managed Component Only) U03HNE HP 3 year Parts Exchange Service for Color LaserJet Managed MFP E877xx (Managed Component Only) U03HQE HP 4 year Parts Exchange Service for Color LaserJet Managed MFP E877xx (Managed Component Only) U03HRE HP 5 year Parts Exchange Service for Color LaserJet Managed MFP E877xx (Managed Component Only) U03HYPE HP 1 year PW Parts Exchange Service for Color LaserJet Managed MFP E877xx (Managed Component Only) U03HYPE HP 2 year PW Parts Exchange Service for Color LaserJet Managed MFP E877xx (Managed Component Only)
Solutions	Security: HP Access Control; HP Security Manager; HP Advance; HP Secure Print and Insights  Mobile and universal print: HP Universal Print Driver (UPD); HP Print for Chrome Extension; HP Smart UPD; HP For Universal Print Workpath App  Management: HP Web JetAdmin; HP Smart Device Services (SDS); Embedded Web Server; HP Custom Color Manager; HP Command Center; HP Smart Printer Administrator's Resource Kit

<sup>2</sup> Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase.
3 An administrator must enable the easy-access USB port before use.
4 The EATS resires Flow models include a 200-sheet ADF. The EATS resires flow models include a 200-sheet ADF. The EATS resires flow models include a 200-sheet ADF. The EATS resires flow models include a 200-sheet ADF. The EATS resires flow models include a 200-sheet ADF. The EATS resires flow models include a 200-sheet ADF. The EATS resired using SO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
6 Can speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
HP EveryPage Technology is powered by ultrasonic multi-feed detection.

# Front panel optional colors



	*Available with optional color panel accessories
Accessories	155PBA HP Laser Jet Inner Finisher 2/4 Hole Punch 155PBA HP Laser Jet Inner Finisher Swedish Hole Punch 155PBA HP Laser Jet Inner Finisher Swedish Hole Punch 150PAA HP Laser Jet Department Lunar Gray Color Panel 150PAA HP Laser Jet Department Lunar Gray Color Panel 150PAA HP Laser Jet Department Lunar Gray Color Panel 150PAA HP Laser Jet Department High Gogod by Paper Tray/Stand Lunar Gray Color Panel 150PAA HP Laser Jet Department Grand Red Golor Panel 150PAA HP Laser Jet Department Grand Red Golor Panel 150PAA HP Laser Jet Department Grand Red Golor Panel 150PAA HP Laser Jet Department Grand Red Golor Panel 150PAA HP Laser Jet Department Grand Red Golor Panel 150PAA HP Laser Jet Department Fastand Comer Red Color Panel 150PAA HP Laser Jet Department High Gapad ty Paper Tray/Stand Comet Red Color Panel 150PAA HP Laser Jet Department Fastand Comer Red Golor Panel 150PAA HP Laser Jet Department Fastand Comer Red Golor Panel 150PAA HP Laser Jet Department Fastand Comer Red Golor Panel 150PAA HP Laser Jet Department Fastand Comer Red Golor Panel 150PAA HP Laser Jet Department Fastand Comer Red Golor Panel 150PAA HP Laser Jet Department Fastand Comer Red Golor Panel 150PAA HP Laser Jet Department Fastand Comer Red Golor Panel 150PAA HP Laser Jet Department Fastand Comer Red Golor Panel 150PAA HP Laser Jet Department Fastand Comer Red Golor Panel 150PAA HP Laser Jet Department Fastand Comer Red Golor Panel 150PAA HP Laser Jet Department Fastand Comer Red Golor Panel 150PAA HP Laser Jet Department Fastand Comer Red Jet Paper Fastand Fastand Red Jet Paper Fastand Red Jet Paper Fastand Red Jet Paper Fastand Red Jet Pap
Speed Licenses	BEP60AAE HP Color Laser Jet Managed MFP E877 40 to 50ppm License BEP61AAE HP Color Laser Jet Managed MFP E877 40 to 60ppm License BEP62AAE HP Color Laser Jet Managed MFP E877 40 to 70ppm License BLB4BAAE HP Color Laser Jet Managed MFP E877 50 to 60ppm License BLB4BAAE HP Color Laser Jet Managed MFP E877 60 to 70ppm License BLB4BAE HP Color Laser Jet Managed MFP E877 50 to 70ppm License BLB50AAE HP Color Laser Jet Managed MFP E877 50 to 70ppm License

<sup>\*</sup> Inner finisher/inner finisher hole punches are not compatible with 70 ppm

# Technical specifications

Copier resize 25 to 400%  Copier settings Two-sided copying; automatically detect color/monochrome; reduce/enlarge; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); N-Up; N or Z-ordering; content orientation; collate; booklet; scan mode (book, 2-sided ID); watermark; stamps; image overlay; erase edges; job build; image preview; image shift; paper selection; blank page suppression; automatically straighten; scan to job storage  Fax speed Up to: 33.6 kbps  Fax resolution Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi  Fax Features Fax memory; Up to 500 pages; Auto fax reduction supported: Yes Auto-redialing; Yes Fax delayed sending; No Distinctive ring detection supported: No Fax forwarding supported: Yes Fax phone TAM interface supported: No Fax polling supported: Yes (poll to receive only) Fax telephone mode supported: No Junk barrier supported: Yes Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinations) PC interface supported: Yes Remote retrieval capability supported: No Telephone handset supported: No Telephone Industrial SuperSpeed USB 3.0 (host)  Standard connectivity 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host)  Network capabilities Standard (built-in GIGABIT 10/100/1000T Ethernet)  Wireless capability Optional, enabled with purchase of a hardware accessory  Mobile printing capability Apple AirPrint™, Mopria™ Certified; Wi-Fi® Direct Printing; NFC Touch-to-print (optional); PrinterOn Print  Memory Standard:6GB; Maximum:6GB	Functions	Print, copy, scan, fax (optiona	al)					
### Action	Print speed <sup>1,2</sup>							
Prist page of A A Color Prist page of A Color Prist page of A A Color Prist page of A Color Prist page of A A Color Box 2 as 2 as 7 as 2 Prist page of A A Color Box 2 as 2 as 7 as 2 Prist page of A A Color Box 2 as 2 as 2 as 2 Prist page of A A Color Box 2 as 2 as 2 as 2 Prist page of A A Color Box 2 as 2 as 2 as 2 Prist page of A A Color Box 2 as 2 as 2 as 2 Prist page of A A Color Box 2 as 2 as 2 as 2 Prist page of A A Color Box 2 as 2 as 2 Prist page of A A Color Box 2 as 2 as 2 Prist page of A A Color Box 2 as 2 as 2 Prist page of A B Color Box 2 as 2 Prist page o	······ specu	A4 Color	Up to 40 ppm	Up to 50 ppm (with 8EP60AAE)	Up to 60 ppm (with 8EP61AAE)	Up to 70 ppm (with 8EP62AA)		
Print resolution Back (best) to a 1200 x 1200 to 1200 to 1200 k 1200 to 1200 x 1200 dept (best) to 1200 x 1200 dept (best) (bes		First page out A4 Black	As fast as 8.2 sec					
speet. Color formals in to 600 x 600 dpc (Color (fine lines); Up to 1200 x 1200 dp)  "Introduction from the color speed (Name)  "Introduction from the col		First page out A4 Color	As fast as 9.7 sec					
Find cardings number  A 1 each black, systm, respects, yellow)  South of parts agreed by PEL St, PPEL 6, HP Postscript level 3 emulation, PEF (v. 17), AirPrint** compatible  Print persent software  Print preview, display printing print multiple pages, per sheet (2, 4, 6, 9, 16), collision, watermarks, store print jubs, easy-access USB  South systm.  Yes  Control year of Printings	Print resolution	Black (best): Up to 1200 x 12 speed; Color (normal): Up to 6	00 dpi full speed; <b>Black (norma</b> 500 x 600 dpi; <b>Color (fine lines</b>	al): Up to 600 x 600 dpi; <b>Black (fine lines)</b> : <b>):</b> Up to 1200 x 1200 dpi	: Up to 1200 x 1200 dpi; <b>Color (b</b> e	<b>est):</b> Up to 1200 x 1200 dpi full		
Standard print languages   FP PCL Sc, IM PCL 6, IM Protestropit tived 3 emulation, PPE for 17), Air Print*** companible	Print technology	Laser; Optical: Normal (600 x 6	500 4 bit); Best (1200 x 1200 î	l bit)				
Print proview, duplox printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, resy-access USB releases  Color scenning  Ve.  Scan recolution  Harbory (1) Up to 90 perm) Bit perm (blaw), up to 90 perm) Bit perm (color)  Duplex (1) Place (2) Place (2) Place (2) Place (2) Place (3) Place (3) Place (4) Pl	Print cartridges number	4 (1 each black, cyan, magent	a, yellow)					
Ves	Standard print languages	HP PCL 5c, HP PCL 6, HP Post	script level 3 emulation, PDF (v	1.7), AirPrint™ compatible				
Scan spep Trainnology  If the 90 ppm/180 ipm (58w), up to 90 ppm/180 ipm (color) Duplex Up to 180 ipm (58w), up to 180 ipm (color)  Individual AIP / Pilater Scanner CCD Diptas US  Scan resolution  Pilated, AIP / Pilater Scanner CCD Diptas US  Scan Reformat  Pilated, AIP / Pilater Scanner CCD Diptas US  Scan Reformat  Pilated, AIP / Pilater Scanner CCD Diptas US  Scan Reformat  Pilater Scanner Scanner  AIP (Filater Scanner)  Pilater Scanner Scanner  AIP Capacity  Standard, 200 sheets  Pilater Scanner Scanner  Pilater Scanner Scanner  Pilater Scanner Scanner  Pilater Scanner Scanner  Pilater Scanner Scann		Print preview, duplex printing	, print multiple pages per shee	t (2, 4, 6, 9, 16), collation, watermarks, si	tore print jobs, easy-access USB			
Fathed, ADF / Platen Scanner CCD Digital-CIS	Color scanning	Yes						
Scan resolution  Hardware: Up to 600 x 600 dpt; Optical: Up to 600 x 600 dpt  PDF, FH-Compression PDF, PECE, TIFF, MTF, XPS, PDFA  PDF, FH-Compression PDF, PECE, TIFF, MTF, XPS, PDFA  Front pant applications: Copy, Res. Scan to family, Scan to Network Folder; Scan to USE; Scan to Jub Storage; Open Extensibility Platform (OXP), PP Workpath applications: Copy, Res. Scan to family, Scan to Network Folder; Scan to USE; Scan to Jub Storage; Open Extensibility Platform (OXP), PP Workpath applications: Copy, Res. Scan to Femaly, Scan to Network Folder; Scan to USE; Scan to Jub Storage; Open Extensibility Platform (OXP), PP Workpath applications: Copy Scan to Jub Storage; Open Extensibility Platform (OXP), PP Workpath applications: Copy Scan to Manager Policy Scan to USE drive, scan to Stan Policy Scan to USE of the Scan to Stan Policy Scan to Scan to Internet Face Local address book; SMI Scan to Scan to Internet Face Local address book; SMI Scan to Scan to Internet Face Local address book; SMI Scan to Scan to Internet Face Local address book; SMI Scan to Scan to Internet Face Local address book; SMI Scan to Scan to Internet Face Local address book; SMI Scan to Scan to Internet Face Local address book; SMI Scan to Scan to Internet Face Local address book; SMI Scan to Scan to Internet Face Local address book; SMI Scan to Scan to Internet Face Local address book; SMI Scan to Scan to Internet Face Local address book; SMI Scan to Scan to Internet Face Local address book; SMI Scan to Scan to Internet Face Local address book; SMI Scan to Scan to Internet Face Local address book; SMI Scan to Scan to Internet Face Local address book; SMI Scan to Scan to Internet Face Local address book; SMI Scan to Scan to Internet Face Local address book; SMI Scan to Scan to Internet Face Local address book; SMI Scan to Sc	Scan speed Normal <sup>3</sup>	Up to 90 ppm/180 ipm (b&w	), up to 90 ppm/180 ipm (colo	r) <b>Duplex:</b> Up to 180 ipm (b&w), up to 18	30 ipm (color)			
Scan file format PDF, H-Compression PDF, PEG, THF, MITHE, NPS, PDFM Front panel applications: Copy, Fest, Scan to Default, Scan to Network Folder; Scan to USB, Scan to Job Storage; Open Extensibility Platform (OXP), HP Workpath applications ADF Nearmann 297 x 864 mm ADF Minimum 68 x 127 mm; Retbed: 297 x 432 mm; Duplex ADF Scanning ADF Capacity Standard, 200 sheets Ves. single pass duples scanning ADF capacity Standard, 200 sheets Vesion 2.4  Bit depth / Gayscade levels Scan to Emails scan to network folder; scan to USB driver scan to SharePoint; scan to FTP; scan to LAN face scan to Internet Fac local address book; SMT over Status and address book; SMT over Status and address in Job Standard (200 sheets)  Version 2.4  Stan to Emails scan to network folder; scan to USB driver scan to SharePoint; scan to FTP; scan to LAN face scan to Internet Fac local address book; SMT over Status and Status (190 sease edges, auto page crop; job build; image preview; blar page suppression; automatically detect color/monochrome; high compression PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimize each/picture (text, mixed, printed picture; photograph); content orientation; scan mode (book; 2-sided IID); erase edges, auto page crop; job build; image preview; blar page suppression; automatically straighten.  Copy speed  AB Black Duplee  Up to 40cpm  Up to 50cpm (with BEPGAARE)  AB Color  Up to 40cpm  Up to 50cpm (with BEPGAARE)  AB Color  AB Color  Up to 40cpm  Up to 50cpm (with BEPGAARE)  AB Color publex  Up to 40cpm  Up to 50cpm (with BEPGAARE)  AB Color publex  Up to 40cpm  Up to 50cpm (with BEPGAARE)  AB Color publex  Up to 40cpm  Up to 50cpm (with BEPGAARE)  AB Color publex  First copy out AB Color  As fast as 4.9 sec  Base Responded  AB Color publex  AB Color puble with a color publication of the properties of the p	Scan type / Technology	Flatbed, ADF / Platen Scanner	CCD Digital-CIS					
Scan liput modes Front panel applications: Copy, Face, Scan to Eradi, Scan to Network Folder, Scan to USB, Scan to Job Storage, Open Extensibility Platform (OXP), HP Workpath applications Scan Size ADF Maximum: 297 x 864 mm; ADF Minimum: 68 x 127 mm; Ratbed: 297 x 432 mm; Uspice ADF scanning ADF Applications Ves. single pass duplies scanning ADF Applications ADF Application ADF Application ADF Application ADF Application ADF Application ADF Application ADF Appl	Scan resolution	Hardware: Up to 600 x 600 do	oi: <b>Optical:</b> Up to 600 x 600 dpi					
Front pand applications: Copy, Fac Scan to Email; Scan to Network Folder; Scan to USB; Scan to Job Storage Open Extensibility Platform (OKP), IP Workpath applications:	Scan file format							
Outplex AOF scanning  Ves. single-pass duplex scanning  Version 2.4  Bit depth / Grayscale levels  Scan to Emails: scan to network folder: scan to USB driver scan to SharePoint; scan to FTP; scan to LAN Fax; scan to Intermet Fax; local address blook; SMT over Stots; automatically detect color/monochrome; high compression PDP; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); content orientation; scan mode (blook; 2-sided IDI); crase edges; auto page crop; job build; image preview; blar page suppression; automatically straighter over Stots; automatically straighter in the page suppression; automatically straighter; straighter in the page suppression; automatically detect color/monochrome; reducelenlarge image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text made graphics); tip to 600 x 600 dpi; Color (text and graphics); tip to 600 x 600 dpi; Color (text and graphics); tip to 600 x 600 dpi; Color (text and graphics); tip to 600 x 600 dpi; Color (text and graphics); tip to 600 x 600 dpi; Color (text and graphics); t	Scan input modes	Front panel applications: Cop		letwork Folder; Scan to USB; Scan to Job	Storage; Open Extensibility Platfo	orm (OXP), HP Workpath		
Duplex ADF scanning  Ves, single pass duplex scanning  ADF capacity  Standard, 200 sheets  Version version  Vesion 2.4  Bit depth / Grayscale levels  24-bit/256  Scan to Email: scan to network failder, scan to USB drive scan to SharePoint; scan to FTP, scan to sFTP, scan to LAN fax scan to Internet Fax; local address book; SMT oversion of SSt, automatically straighten over 10 bits straighten over 10 b	Scan Size	ADF Maximum: 297 x 864 mm	; <b>ADF Minimum:</b> 68 x 127 mm;	Flatbed: 297 x 432 mm;				
ABF capacity  Standard, 200 sheets  Version 2.4  Rit depth / Grapscale levels  24 bit/256  Digital sending standard or provided in the provide	Duplex ADF scanning			·				
Digital sending standard features  2-4-bit/256    Copy speed   Scan to Emails scan to network folder; scan to LSB drive; scan to FTP; scan to FTP; scan to LANTax; scan to Internet Fax; local address book; SMT over SSL; automatically detect color/monochrome; high compression PDP; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); content orientation; scan mode (book, 2-sided ID); erase edges; auto page crop; job build; image preview, blar page suppression; automatically straighten    Copy speed	ADF capacity	Standard, 200 sheets	-					
Scan to Email; scan to network folder; scan to USB drive; scan to STP; scan to STP; scan to LAN fac scan to Internet Fac, local address book; SMT over SSL; automatically detect color/monochrome; high compression PDF; image adjustments (darkness, contrast, background cleanup, shapness), optimize test/picture (test, misaed, printed picture, photograph); content orientation, scan mode (book), 2-sided ID), erase edges, alon page copy; job build; image preview; blam page suppression; automatically straighten.  Copy speed AB Black	Twain version	Version 2.4						
Scan to Email; scan to network folder; scan to USB drive; scan to SFR-ePoint; scan to SFTP; scan to LAN fax; scan to Internet Fax; local address book; SMT over SSL; automatically detect color/monochrome; high compression PDF; image adjustments (darkness, contrast, background cleanup, sharpness), optimize test/inclure (test, mixed, printed picture, photograph); content orientation; scan mode (book), 2-sided ID), erase adges, alon page corp; job build; image preview; blar page suppression; automatically straighten  Copy speed AB Black	Bit depth / Gravscale levels	24-hit/256						
over SSL automatically detect color/monochrome; high compression PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); content orientation; scan mode (book, 2-sided ID); erase edges; auto page crop; job build; image preview, blampage suppression; automatically straighten  Copy speed  Ad Black  Up to 40 cpm  Up to 50 cpm (with BEPF0AAE)  Ad Color  Ad Black Up to 40 cpm  Up to 50 cpm (with BEPF0AAE)  Up to 60 cpm (with BEPF0AAE)  Ad Black Up to 40 cpm  Up to 50 cpm (with BEPF0AAE)  Up to 60 cpm (with BEPF0AAE)  Up to 70 cpm (with BEPF0AAE)  Ho			k foldor: scan to LISB drive; sca	on to SharoPoint: scan to ETD: scan to sE	TD: scan to LAN fav: scan to Intorn	not Fav: local addross book: SMT		
A4 Color		over SSL; automatically detectext/picture (text, mixed, prin	t color/monochrome; high con ted picture, photograph); cont	npression PDF; image adjustments (darkr	ness, contrast, background cleanu	up, sharpness); optimize		
Af Black Duplex Up to 40 cpm Up to 50 cpm (with BEP60AAE) Up to 60 cpm (with BEP61AAE) Up to 70 cpm (with BEP62AAE) Af Color Duplex Up to 40 cpm Up to 50 cpm (with BEP60AAE) Up to 60 cpm (with BEP61AAE) Up to 70 cpm (with BEP62AAE) AF Color Duplex Up to 50 cpm (with BEP60AAE) Up to 60 cpm (with BEP61AAE) Up to 70 cpm (with BEP62AAE) AF fast as 4.9 sec (with BEP61AAE) Up to 70 cpm (with BEP62AAE) AF fast as 5.5 sec (with BEP60AAE) BEP61AAE) BEP61AAE) Up to 70 cpm (with BEP62AAE) AF fast as 5.5 sec (with BEP61AAE) Up to 70 cpm (with BEP62AAE) AF fast as 5.5 sec (with BEP61AAE) BEP61AAE) BEP62AAE AF fast as 5.5 sec (with BEP61AAE) BEP61AAE) BEP62AAE AF fast as 5.5 sec (with BEP60AAE) BEP61AAE) BEP62AAE AF fast as 5.5 sec (with BEP61AAE) Up to 9999 copies Copier resize 2 5 to 400% Copier resize 2 5 to 400% Copier settings Two-sided copying; automatically detect color/monochrome; reduce/enlarge; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); N-Up; Nor Z-ordering; content orientation; collate; booklet; scan mode (book, 2-sided lD); watermark; stamps; image overlay, exase edges; job build, image preview, image shift; paper selection, blank page suppression; automatically straighten; scan to job storage Fax resolution Black (best): Up to 300 x 300 dpi (400 x 400 dpi for receive draxes only); Black (standard): 203 x 98 dpi Fax resolution Black (best): Up to 300 x 300 dpi (400 x 400 dpi for receive draxes only); Black (standard): 203 x 98 dpi Fax resolution Slack (best): Up to 300 x 300 dpi (400 x 400 dpi for receive draxes only); Black (standard): 203 x 98 dpi Fax resolution Slack (best): Up to 300 x 300 dpi (400 x 400 dpi for receive draxes only); Black (standard): 203 x 98 dpi Fax resolution Slack (best): Up to 300 x 300 dpi (400 x 400 dpi for receive draxes only); Black (standard): 203 x 98 dpi Fax resolution Slack (best): Up to 300 x 300 dpi (400 x 400 dpi for receive draxes only); Black (standard): 203 x 98 dpi Fax resolution	Copy speed	A4 Black	Up to 40cpm	Up to 50cpm (with 8EP60AAE)	Up to 60cpm (with 8EP61AAE)	Up to 70cpm (with 8EP62AAE		
Af Color Duplex   First copy out A4 Black								
First copy out A4 Black First copy out A4 Color First copy out A4 Color First copy out A4 Color As fast as 4.9 sec First copy out A4 Color As fast as 6.5 sec A5 fast as 5.6 sec (with BEP61AAE) A5 fast as 4.9 sec (with BEP61AAE		<u> </u>						
As fast as 6.5 sec		·		As fast as 4.2 sec (with	As fast as 3.8 sec (with	As fast as 3.5 sec (with		
Maximum number of copies Up to 9999 copies  Copier resize 25 to 400%  Copier settings Two-sided copying; automatically detect color/monochrome; reduce/enlarge; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); N-Up; N or Z-ordering; content orientation; collate; booklet; scan mode (book, Z-sided ID); watermark; stamps; image orientation; activate; booklet; scan mode (book, Z-sided ID); watermark; stamps; image orientation; collate; booklet; scan mode (book, Z-sided ID); watermark; stamps; image orientation; collate; booklet; scan mode (book, Z-sided ID); watermark; stamps; image orientation; collate; booklet; scan mode (book, Z-sided ID); watermark; stamps; image orientation; collate; booklet; scan mode (book, Z-sided ID); watermark; stamps; image orientation; collate; booklet; scan mode (book, Z-sided ID); watermark; stamps; image orientation; collate; booklet; scan mode (book, Z-sided ID); watermark; stamps; image orientation; collate; booklet; scan mode (book, Z-sided ID); watermark; stamps; image orientation; collate; booklet; scan mode (book, Z-sided ID); watermark; stamps; image orientation; collate; booklet; scan mode (book, Z-sided ID); watermark; stamps; image orientation; collate; booklet; scan bookle		First copy out A4 Color	As fast as 6.5 sec	As fast as 5.6 sec (with	As fast as 4.9 sec (with	As fast as 4.3 sec (with		
Copier settings  Two-sided copying; automatically detect color/monochrome; reduce/enlarge; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); N-Up; N or Z-ordering; content orientation; collate; booklet; scan mode (book, 2-sided ID); watermark; stamps; image overlay, erase edges; job build; image preview, image shift; paper selection; blank page suppression; automatically straighten; scan to job storage  Fax speed  Up to: 33.6 kbps  Fax resolution  Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi  Fax Features  Fax memory: Up to 500 pages; Auto fax reduction supported: Yes Auto-redialing; Yes Fax delayed sending: No Distinctive ring detection supported: No Fax forwarding supported: Yes Fax phone TAM interface supported: No Fax polling supported: Yes (poll to receive only) Fax telephone mode supported: No Junk barrier supported: Yes Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinations) PC interface supported: Yes Remote retrieval capability supported: No Telephone handset supported: No Telephone (HiP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1  Network capabilities  Standard (built-in GIGABIT 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1  Network capability  Optional, enabled with purchase of a hardware accessory  Mobile printing capability  Apple AirPrint™, Mopria™ Certified; Wi-Fi® Direct Printing; NFC Touch-to-print (optional); PrinterOn Print  Memory  Standard:66B; Maximum:66B  Quad Core (1.6GHz), Dual Core (1.4GHz) / Storage Standard, embedded 500 GB hard disk drive / Hard disk: Standard, HP Laser Jet 500GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)  Duty cycle (monthly)	Copy resolution	Black (text and graphics): ; Up	to 600 x 600 dpi; Color (text	and graphics): Up to 600 x 600 dpi		•		
Copier settings  Two-sided copying; automatically detect color/monochrome; reduce/enlarge; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); N-Up; N or Z-ordering; content orientation; collate; booklet; scan mode (book, 2-sided ID); watermark; stamps; image overlay, erase edges; job build; image preview, image shift; paper selection; blank page suppression; automatically straighten; scan to job storage  Fax speed  Up to: 33.6 kbps  Fax resolution  Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi  Fax Features  Fax memory: Up to 500 pages; Auto fax reduction supported: Yes Auto-redialing; Yes Fax delayed sending: No Distinctive ring detection supported: No Fax forwarding supported: Yes Fax phone TAM interface supported: No Fax polling supported: Yes (poll to receive only) Fax telephone mode supported: No Junk barrier supported: Yes Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinations) PC interface supported: Yes Remote retrieval capability supported: No Telephone handset supported: No Telephone (HiP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1  Network capabilities  Standard (built-in GIGABIT 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1  Network capability  Optional, enabled with purchase of a hardware accessory  Mobile printing capability  Apple AirPrint™, Mopria™ Certified; Wi-Fi® Direct Printing; NFC Touch-to-print (optional); PrinterOn Print  Memory  Standard:66B; Maximum:66B  Quad Core (1.6GHz), Dual Core (1.4GHz) / Storage Standard, embedded 500 GB hard disk drive / Hard disk: Standard, HP Laser Jet 500GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)  Duty cycle (monthly)	Maximum number of copies	Up to 9999 copies	·					
Two-sided copying; automatically detect color/monochrome; reduce/enlarge; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); N-Up; N or Z-ordering; content orientation; collate; booklet; scan mode (book, 2-sided ID); watermark; stamps; image overlay; erase edges; job build; image preview; image shift; paper selection; blank page suppression; automatically straighten; scan to job storage  Fax speed Up to: 33.6 kbps  Fax resolution Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi  Fax Features Fax memory: Up to 500 pages; Auto fax reduction supported: Yes Auto-redialing: Yes Fax delayed sending: No Distinctive ring detection supported: No Fax forwarding supported: Yes Fax phone TAM interface supported: No Fax polling supported: Yes (poll to receive only) Fax telephone mode supported: No Junk barrier supported: Yes Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinations) PC interface supported: Yes Remote retrieval capability supported: No Telephone handset supported: No Telephone handset supported: No Telephone (SuperSpeed USB 3.0 (host))  Standard connectivity 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host)  Network capabilities Standard (built-in GIGABIT 10/100/1000T Ethernet)  Wireless capability Optional, enabled with purchase of a hardware accessory  Mobile printing capability Apple Air/Print™; Mopria™ Certified; Wi-Fi® Direct Printing; NFC Touch-to-print (optional); PrinterOn Print  Memory Standard:GGB; Maximum:GGB  Processor speed Quad Core (1.6GHz), Dual Core (1.4GHz) / Storage Standard, embedded 500 GB hard disk drive / Hard disk: Standard, HP LaserJet 500GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk								
Fax resolution  Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi  Fax Features  Fax memory: Up to 500 pages; Auto fax reduction supported: Yes Auto-redialing: Yes Fax delayed sending: No Distinctive ring detection supported: No Fax forwarding supported: Yes Fax phone TAM interface supported: No Fax polling supported: Yes (poll to receive only) Fax telephone mode supported: No Junk barrier supported: Yes Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinations) PC interface supported: Yes Remote retrieval capability supported: No Telephone handset supported: No  Standard connectivity  1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host)  Network capabilities  Standard (built-in GIGABIT 10/100/1000T Ethernet)  Wireless capability  Optional, enabled with purchase of a hardware accessory  Mobile printing capability  Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printing; NFC Touch-to-print (optional); PrinterOn Print  Memory  Standard:6GB; Maximum:6GB  Processor speed  Quad Core (1.6GHz), Dual Core (1.4GHz) / Storage Standard, embedded 500 GB hard disk drive / Hard disk: Standard, HP LaserJet 500GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)  Duty cycle (monthly)  Δ4:  Up to 300,000 pages (with Up to 250,000 pages (with Up to 300,000 pages (with	Copier settings	Two-sided copying; automatically detect color/monochrome; reduce/enlarge; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); N-Up; N or Z-ordering; content orientation; collate; booklet; scan mode (book, 2-sided ID); watermark; stamps;						
Fax Features Fax memory: Up to 500 pages; Auto fax reduction supported: Yes Auto-redialing: Yes Fax delayed sending: No Distinctive ring detection supported: No Fax forwarding supported: Yes Fax phone TAM interface supported: No Fax polling supported: Yes (poll to receive only) Fax telephone mode supported: No Junk barrier supported: Yes Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinations) PC interface supported: Yes Remote retrieval capability supported: No Telephone handset supported: No  Standard connectivity  1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host)  Network capabilities  Standard (built-in GIGABIT 10/100/1000T Ethernet)  Wireless capability  Optional, enabled with purchase of a hardware accessory  Mobile printing capability  Apple AirPrint™, Mopria™ Certified; Wi-Fi® Direct Printing; NFC Touch-to-print (optional); PrinterOn Print  Memory  Standard:6GB; Maximum:6GB  Processor speed  Quad Core (1.6GHz), Dual Core (1.4GHz) / Storage Standard, embedded 500 GB hard disk drive / Hard disk: Standard, HP LaserJet 500GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)  Duty cycle (monthly)  Δ4:  Up to 200,000 pages (with Up to 250,000 pages (with Up to 300,000 pages (with	Fax speed	<b>Up to:</b> 33.6 kbps						
supported: Yes Fax phone TAM interface supported: No Fax polling supported: Yes (poll to receive only) Fax telephone mode supported: No Junk barrier supported: Yes Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinations) PC interface supported: Yes Remote retrieval capability supported: No Telephone handset supported: No Tele	Fax resolution	<b>Black (best):</b> Up to 300 x 300	dpi (400 x 400 dpi for received	d faxes only); <b>Black (standard):</b> 203 x 98	dpi			
SuperSpeed USB 3.0 (host)  Network capabilities  Standard (built-in GIGABIT 10/100/1000T Ethernet)  Wireless capability  Optional, enabled with purchase of a hardware accessory  Mobile printing capability  Apple AirPrint™, Mopria™ Certified; Wi-Fi® Direct Printing; NFC Touch-to-print (optional); PrinterOn Print  Memory  Standard:6GB; Maximum:6GB  Processor speed  Quad Core (1.6GHz), Dual Core (1.4GHz) / Storage. Standard, embedded 500 GB hard disk drive / Hard disk: Standard, HP LaserJet 500GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)  Duty cycle (monthly)  Δ4:  Up to 200,000 pages (with Up to 250,000 pages (with Up to 300,000 pages (with Up to 30	Fax Features	supported: Yes Fax phone TAM interface supported: No Fax polling supported: Yes (poll to receive only) Fax telephone mode supported: No Junk barrier supported: Ye Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinations) PC interface supported: Yes Remote retrieval capability supported: No Telephone						
Wireless capability         Optional, enabled with purchase of a hardware accessory           Mobile printing capability         Apple AirPrint™, Mopria™ Certified; Wi-Fi® Direct Printing; NFC Touch-to-print (optional); PrinterOn Print           Memory         Standard:6GB; Maximum:6GB           Processor speed         Quad Core (1.6GHz), Dual Core (1.4GHz) / Storage Standard, embedded 500 GB hard disk drive / Hard disk Standard, HP LaserJet 500GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)           Duty cycle (monthly)         Δ4:         Up to 200,000 pages (with         Up to 250,000 pages (with         Up to 300,000 pages (with								
Mobile printing capability         Apple AirPrint™, Mopria™ Certified; Wi-Fi® Direct Printing; NFC Touch-to-print (optional); PrinterOn Print           Memory         Standard:6GB; Maximum:6GB           Processor speed         Quad Core (1.6GHz), Dual Core (1.4GHz) / Storage Standard, embedded 500 GB hard disk drive / Hard disk. Standard, HP LaserJet 500GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)           Duty cycle (monthly)         Δa:         Up to 200,000 pages (with         Up to 250,000 pages (with         Up to 300,000 pages (with	Network capabilities	Standard (built-in GIGABIT 10/100/1000T Ethernet)						
Memory         Standard:6GB; Maximum:6GB           Processor speed         Quad Core (1.6GHz), Dual Core (1.4GHz) / Storage Standard, embedded 500 GB hard disk drive / Hard disk: Standard, HP LaserJet 500GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)           Duty cycle (monthly)         Δa.         Up to 200,000 pages (with Up to 250,000 pages (with Up to 300,000 pages (with Up to 300,	Wireless capability	Optional, enabled with purchase of a hardware accessory						
Memory Standard:6GB; Maximum:6GB  Processor speed Quad Core (1.6GHz), Dual Core (1.4GHz) / Storage Standard, embedded 500 GB hard disk drive / Hard disk: Standard, HP LaserJet 500GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)  Duty cycle (monthly)  A4- Up to 180 000 pages   Up to 200,000 pages (with   Up to 250,000 pages (with   Up to 300,000 pages (with   Up to	Mobile printing capability	Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printing; NFC Touch-to-print (optional); PrinterOn Print						
hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)  Duty cycle (monthly)  A4: Up to 300,000 pages (with Up to 250,000 pages (with Up to 300,000	Memory							
	Processor speed							
				Up to 200 000 pages (with	Unito 250 000 pages (with	Up to 300 000 pages (with		

# Technical specifications

Paper handling	Input Capacities: Up to 1140 sheets (Tray1: up to 100 sheets; Tray2: up to 520 sheets; Tray3: up to 520 sheets) Standard; Up to 50 envelopes; Input Capacities, Max: Up to 6,140 sheets; Output Capacities: Up to 500 sheets Standard; Up to 100 sheets; Duplex Options: Automatic; Envelope feeder: No; Standard paper trays: 3
Media types supported	Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy
	111-130g, Mid-WtGlossy 96-110g, Heavy Glossy 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 200g, HP Glossy
	200g, Card-stock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard 256-300g, Heavy Paperboard, Color Transparency, Labels, Letterhead,
Madra de la companya de d	Envelope, Heavy Envelope, Preprinted, Pre-punched, Colored
Media weight supported	Tray 1, 2, 3: 60 to 325 g/m²
Media sizes supported	Tray 1: A3, A4, A4R, A5, A5R, A6, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS), B6 (JIS), 10x15cm, Oficio, 8K, 16k, Postcard (JIS), Postcard (JIS), Envelope B5, Envelope C5, Envelope C6, Enve
Media Sizes Custom	Tray 1: 98 x 139.7 to 320 x 457.2 mm; Tray 2: 98 x 139.7 to 241.5 x 297 mm; Tray 3: 140 x 182 to 320 x 457.2 mm
What's in the box	50K03A HP Color Laser Jet Managed MFP E877dn Priner: In box materials: W9160MS HP Laser Jet Black Starter Toner Cartridge (ISO Yield 10.000): W9161MS HP Laser Jet
	Cyan Starter Toner Cartridge (ISO Yield 9,000); W9162MS HP LaserJet Yellow Starter Toner Cartridge (ISO Yield 9,000); W9163MS HP LaserJet Magenta Starter Toner
	Cartridge (ISO Yield 9,000); Guide install; Flyer Regulatory; Power Cords; Label; Drums
Replacement cartridges <sup>4</sup>	HP Black Managed LaserJet Toner Cartridge (ISO Yield 25,000) W9160MC; HP Cyan Managed LaserJet Toner Cartridge (ISO Yield 22,500) W9161MC; HP Yellow Managed
	Laser Jet Toner Cartridge (ISO Yield 22,500) W9162MC; HP Magenta Managed Laser Jet Toner Cartridge (ISO Yield 22,500) W9163MC; HP Black Managed Laser Jet Toner
	Cartridge (ISO Yield 50,000) W9170MC; HP Cyan Managed LaserJet Toner Cartridge (ISO Yield 45,000) W9171MC; HP Yellow Managed LaserJet Toner Cartridge (ISO Yield
	45,000) W9172MC; HP Magenta Managed Laser Jet Toner Cartridge (ISO Yield 45,000) W9173MC
Product dimensions	<b>W x d x h:</b> 585 x 694.7 x 907.7 mm; <b>Maximum:</b> 1656.7 x 1269 x 1488.5 mm;
Product weight	99.8 kg;
Warranty features	1 Year Parts Only. Extended Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP
	award winning service and support options in your region.
Energy star certified	Yes
Ecolabels	EPEAT® registered; IT ECO Declaration; Blue Angel
Control panel	10.1-in (25.65 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker
Display description	10.1-in (25.65 cm) touchscreen, WXGA Color Graphic Display (CGD)
Software included	No software solutions are included in the box, only on http://www.hp.com or http://123.hp.com
Compatible operating	Windows 11; Windows 10; Windows 7; Windows Client 0S; Android; iOS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS
systems	
Compatible network	Windows Server; Linux; Citrix; Novell
operating systems	
Minimum system	PC: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements, see http://www.microsoft.com; Mac: 2
requirements	GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements, see http://www.apple.com
Power	Power supply type: Internal (Built-in) power supply; Power requirements: (Input voltage: 220 to 240VAC 50/60Hz; Power consumption: 820 watts (40ppm, printing),
	890 watts (50ppm, printing), 1020 watts (60ppm, printing), 1100 watts (70ppm, printing), 41.5 watts (ready), 0.8 watts (sleep), 0.2 watts (auto-off), 0.2 watts (manual-off)
Acoustics	
ACOUSTICS	Acoustic power emissions: 6.70 Bel(A), printing color simplex A4 at 40ppm; 6.75 Bel(A), printing color simplex A4 at 50ppm; 6.85 Bel(A), printing color simplex A4 at 60ppm; 7.00 Bel(A), printing color simplex A4 at 70ppm; Acoustic Pressure Emissions (active, printing): 52dB(A), printing color simplex A4 at 40ppm; 53dB(A),
	printing color simplex A4 at 70ppm; 54dB(A), printing color simplex A4 at 70ppm; Acoustic Pressure Emissions (active, printing color simplex A4 at 70ppm; Acoustic Pressure Emissions (active)
	scan): 54dB(A), ADF scan A4 at 90ipm; 59dB(A), ADF scan A4 at 150ipm
Operating environment	Operating temperature range: 15 to 30°C; Recommended operating temperature: 15 to 30°C; Storage temperature range: -10 to 40°C; Operating humidity range: 20 to
Speaking chartening it	opeauing temperature range. 15 to 50 c, necommence operating temperature. 15 to 50 c, 5 to age temperature range. 16 to 40 c, operating numerical operating range. 20 to 80% RH
	0070 M. Friccommanded manifolding range. 20 to 0070 MT

## **Messaging Footnotes**

HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2021 published features of competitive inclass printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit: hp.com/go/PrintersThatProtect. For more information, visit: http://www.hp.com/go/PrinterSecurityClaims.

Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application,

restable of using 150/fc. 24/34, excludes its set of lest documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

To some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.

Based on HP review of competitive manufacturer's published app platform specifications as of April 2019. Only HP Workpath offers a combination of app validation upon submission plus automated re-validation of apps. To enable HP Workpath, some devices may require optional accessory or firmware to be upgraded. Subscription may be required.

- AP Security is now HP Wolf Security. Security features vary by platform. For more information, visit http://www.hp.com/wolfsecurity.

  Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019-2024. Certification applicable to HP Managed and Enterprise devices running HP FutureSmart Firmware version 4.5.1 and later. For more information: https://www.commoncriteriaportal.org/files/epfiles/Certification%20Report%20-%20HP%20Intrusion%20Detection.pdf 100% outer fiber-based packaging and internal fiber-based cushions made from sustainably sourced certified and recycled fibers.
- 8 100% of Original HP Toner Cartridges contain between 1-77% post-consumer or post-industrial recycled content. Does not include toner bottles or other products not listed. See http://www.hp.com/go/TonerRecycledContent for list. Hardware based: Post-consumer recycled is based on the definition set in the EPEAT standard for imaging equipment, IEEE 1680.2, and is expressed as percent of total

HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label guidelines

HP printer, HP paper and Original HP supply - Blue Angel DE-UZ 219 Emissions Criteria.

#### **Technical Specifications Footnotes**

- 1 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

  Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. <sup>4</sup> Approximate average yield based on ISO/IEC 19798. Actual yield varies considerably based on content of printed pages and other factors. For details, see http://www.hp.com/go/learnaboutsupplies.

