HP LaserJet Managed MFP E82560dn

Businesses that stay ahead don't slow down. It's why HP built the next generation of HP LaserJet MFPs—to power productivity with a streamlined design that delivers premium quality, maximum uptime, and the strongest security.¹

Print Speed: Up to 60 ppm black; First Page Out: As fast as 6 sec black

Print Resolution: Black (best): Up to 1200 x 1200 dpi reduced speed

Standard Connectivity: 2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax modem port Standard Memory: Standard: 7 GB; Maximum: 7 GB

Mobile Printing Capability: Yes

Paper Handling: 100-sheet multi-purpose tray, 2 x 520-sheet input tray, 520-sheet input tray, 250 sheet ADF; 500 sheet face-down output bin

Display: 8.0-in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD)





i-{-Mac









High quality, low cost

- Print premium, professional-quality documents with sharp text and crisp graphics for a low cost.
- Get consistent, professional quality and performance you count on with Original HP toner cartridges and drums.
- Choose from a range of modular accessories designed to adapt to the needs of workgroups of all sizes.

Minimal interruptions. Maximum uptime.

- Avoid interruptions with an HP LaserJet Managed MFP designed to be streamlined for maximum productivity.
- Tailor this MFP to the needs of your business with a wide range of paper-handling accessories.
- Scan files directly to Microsoft[®] SharePoint, plus email, USB, and network folders.²
- Grab pages and go, without waiting. This HP LaserJet wakes up quickly and prints fast—up to 60 ppm.³

The world's most secure printing

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Help protect information on the MFP and in transit over the network. Store data on the encrypted hard disk.⁴
- Continually monitor to detect and stop attacks, then automatically reboot with run-time intrusion detection.
- Whitelisting checks firmware during startup to help ensure it's authentic, good code—digitally signed by HP.

¹ Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims ² Requires an internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see http://www.hp.com/go/printersecurityclaims ² Requires an internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁴ Some features require additional purchase. A FutureSmart service pack update may be required to activate security features. Learn more at http://www.hp.com/go/printerscurity

HP LaserJet Managed MFP E82560dn Specifications Table

Functions / Multitasking Supported	Print, Copy, Scan (fax and wireless optional) / Yes	Media Weight Supported	Tray 1, 2, 3: 16 to 78 lb bond (166 lb Index)
Print Speed	Letter: Up to 60 ppm black; First Page Out: As fast as 6 sec black; ²	Media Sizes Supported	Tray 1: Letter, Letter R, Legal, Executive, Statement, Oficio, 11 x 17, 12 x 18, 4 x 6, 5 x 7, 5 x 8,10 x 15,
Print Resolution	Black (best): Up to 1200 x 1200 dpi reduced speed		8k, 16k, envelope #9, Envelope #10, Envelope Monarch, Tray 2: Letter, Letter R, Legal, Executive, Statement, Oficio, 4 × 6, 5 × 7, 5 × 8,10 × 15, 16k, envelope #9, Envelope #10, Envelope Monarch;
Print Technology	Laser		Tray3: Letter, Letter R, Legal, Executive, Statement, Oficio, 11 x 17, 12 x 18, 8k, 16k
Print Cartridges Number	1 (1 black cartridge)	Media Sizes Custom	Tray 1: 3.86 x 5.5 to 12.59 x 18 in; Tray 2: 3.86 x 5.5 to 11.69 x 15.35 in; Tray 3: 5.5 x 7.17 to 12.59 x 18 in
Standard Print languages	HP PCL 6, HP PCL 5c, HP Postscript level 3 emulation, PDF (v 1.7), AirPrint™ compatible	Paper Handling	10
Printer Smart Software Features	NBusinesses that stay ahead don't slow down. It's why HP built the next generation of HP Laser Jet MPS9—to power productivity with a streamlined design that delivers professional quality, maximum uptime, and the strongest security ¹ . Quality priming for a great value is a smart choice for any business. Produce premium, professional-quality documents at a competitive low cost with an HP Laser Jet MP built to make your work—and your business—book its best. Annonying interruptions and complex maintenance can slow down printing, and ultimately, the pace of business. Avoid pauses in productivity with an HP LaserJet MPF designed for maximum uptime, so you can count on reliable. results day in and day out. Only HP Enterprise printers regain themselves from attacks in real time, delivering built-in security to help keep your networks safe. Automatically monitor threats, detect hirthwisons, and validate operating software with security offered only by HP. Accelerate workflow, improve accuracy, and easily connect people throughout your organization. Complete high-volume scan jobs fast—up to 180 ipm ¹⁰ —and avoid extra steps with a Flow MPP designed for maximum productivity.		Norsheet Theory purpose usy, c.A. 2005meet input usy, 2005meet input tay, 2005meet not, 2000 sheet face-down output bin Duplex Options: Automatic Islandral?, Auto Document Feeder Capadty. Standard, 250 sheets; Envelope Feeder: No; Standard Paper Trays 3; Input Capadites: Up to 520 sheets; Output Capadites: Up to 500 sheets; Up to 40 envelopes
		What's in the box	X3A75A Engine; TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assembly-CD WW; Hardware install and setup documentation; Support flyers. DDES NOT INCLUDE TONER
		Replacement Cartridges	HP Black Managed LJ Toner Cartridge (ISO Yield 69,000) W9014MC ⁶
		Product Dimensions	W x D x H : 23 x 30.3 x 36.7 in; Maximum : 47 x 66 x 30.5 in
		Product Weight	210.8 lb
		Warranty Features	90 day parts only. Extended Warranty and support options vary by product, country and local legal
Printer Management	Printer Administrator Resource Kit for HP Universal Print Driver (UPD Active Directory Administrator Template, Add Print Mode to Comments, AutoUpgradeUPD, Driver Configuration Utility, Driver Deployment Utility, HP Managed Printing Administration, PRNCONLEXE, HPPRLO, Migrate-Server-Tools, UpdateNow, Remove Plug and Play Drivers); HP Web Jetadmin Software; Resource Kit for HP Web Jetadmin (HP SNMP Proxy Agent, HP WS-D Por Yowy Agent); HP LetAdwantage Security Manager	Energy Efficiency Compliance Control Panel	requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region. Energy Star; Blue Angel; EPEAT silver 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display;
Scan Type / Technology	Flatbed, ADF / Platen Scanner CCD Digital-CIS		illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket; Extended Keyboard
Scan Resolution	Hardware: Up to 600 × 600 dpi; Optical : Up to 600 × 600 dpi	Display Description	8.0-in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD)
Scan File Format	Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)	Software Included	HP Connected, HP Device Experience (DXP), HP PCL 6 Printer Driver, HP Software Installer/Uninstaller, Mac 05 Welcome Screen (Directs users to 123.HP.com or 05 App Source for printer software), Online user manuals
Scan Input Modes	Front panel applications: Copy; E-mail; Fax; Save to Network Folder; Save to USB; Save to Device Memory; Open Extensibility Platform (OXP) applications	Fonts and Typefaces	84 scalable TrueType fonts
Scan Size	ADF: 11 x 17 in Maximum; 4.3 x 5.5 in Minimum; Flatbed: 11 x 17 in	Compatible Operating Systems	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3,
Scan Speed	Up to 90 ppm/180 ipm (b&w), up to 90 ppm/180 ipm (color) ⁷ Duplex: Up to 180 ipm (b&w), up to 180 ipm (color)		84, 85, 86), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Siera, OS X 10.10 Yosemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32-& 64-bit editions
Scanner Advanced Features	Scan-to-E-mail; Scan-to-network folder (stand alone solution); Scan to Cloud; Scan to USB		(excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium,
Bit depth / Grayscale levels	24-bit / 256		Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)
Digital Sending Standard Features	Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to Sharepoint; Send to FTP; Send to sFTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF; Auto Tonescale; Auto Orientation; Multi-Pick Detect; Auto Straighten; Auto Crop To Page	Compatible Network Operating Systems	Citrix MetaFrame Presentation Server 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1 2, and 3), Citrix on Windows Server 2003/2003R2, Citrix on Windows Server 2008/2008R2/2008 R2 SP1, Citrix on Windows Server 2012/2012R2, Citrix Presentation Server 4.04.5, Citrix XenApp 5.0 (Pu Feature Pack 2 & 3) for Windows Server 2008 Terminal Services 32- and 64-bit, Citrix XenApp 6.0(6.5
Copy Speed	Black (letter): Up to 60 cpm		[for Windows Server 2008 R2 Terminal Services, 32- and 64-bit], Citrix XenApp 6.0/6.5/7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Citrix XenApp 7.5 [for Windows
Copy Resolution	Black (text and graphics): Up to 1200 x 1200 dpi reduced speed; Up to 1200 x 1200 dpi reduced speed; Color (text and graphics): Up to 1200 x 1200 dpi reduced speed		Server 2012 and 2012 R2 Terminal Services, 64-bit), Citrix XenDestkop 5.6 (for Windows Server 2008 R2 F9T R2 Terminal Services, 32- and 64-bit), Citrix XenDestkop 5.67/07.5 (for Vindows Server 2012 and 2012 R2 Terminal Services, 64-bit), Novell NetWare 6.5/5/8 Novell Clients www.novell.com/ipnit, Novell Firith Appliance 10, Novell Den Enterprise Server 11/5P1, Novell Open Enterprise Server 2 for Linux, Novel Servers www.novell.com/iprint), Windows Server 2003/2003 R2 32-64-bit (SP1/5P2) Standard/Enterprise/Datacenter (- Cluster & Terminal Services), Windows Server 2008 32-64-bit (SP1/5P2), Standard/Enterprise (- Cluster & Terminal Services), Windows Server 2008 32-64-bit (SP1) Standard/Enterprise/Datacenter (- Cluster & Terminal Services), Windows Server 2008 32-64-bit (SP1/5P2), Standard/Enterprise (- Cluster & Terminal Services), Windows Server 2008 32-64-bit (SP1/5P2) Standard/Enterprise/Datacenter (- Cluster & Terminal Services), Windows Server 2008 22-64-bit (SP1/5P2) Standard/Enterprise/Datacenter (- Cluster & Terminal Services), Windows Server 2012/2017 Standard/Enterprise/Datacenter (- Cluster & Terminal Services), Windows Server 2012/2017 (SP1/5P2) Standard/Enterprise/Datacenter (- Cluster & Terminal Services), Windows Server 2012/2017 (SP1/5P2) Standard/Enterprise/Datacenter (- Cluster & Terminal Services), Windows Server 2012/2017 (SP1/5P2) Standard/Enterprise/Datacenter (- Cluster & Terminal Services), Windows Server 2012/2017 (SP1/5P2) Standard/Enterprise/Datacenter (- Cluster & Terminal Services), Windows Server 2012/2017 (SP1/5P2) Standard/Enterprise/Datacenter (- Cluster & Terminal Services), Windows Server 2012/2017 (SP1/5P2) Standard/Enterprise/Datacenter (- Cluster & Terminal Services), Windows Server 2012/2017 (SP1/5P2) Standard/Enterprise/Datacenter (- Cluster & Terminal Services), Windows Server 2012/2017 (SP1/5P2) Standard/Enterprise/Datacenter (- Cluster & Terminal Services), Windows Server 2012/2017
Maximum Number Of Copies	Up to 999 copies		
Copier Resize Copier Settings	25 to 400% Two-sided copying; scalability; image adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (text, mixed, printed picture, photograph); N-Up; N or Z-ordering; content orientation; collation; booklet; ID Scar; job build; job Storage; watermark; stamps; book mode scans; erase edge; automatically detect color/mono; image Preview		
Fax Speed	Up to: 33.6 kbps; Letter: 3 sec per page ¹		
Fax Resolution	Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi		2016/ 64-bit Standard/ Essential/Datacenter (+ Cluster & Terminal Services)
Fax Features	Fax Memory: Up to 500 pages: Auto Fax Reduction Supported: Yes: Auto-Redialing: Yes: Fax Delayed Sending: No: Distinctive Ring Detection Supported: No: Fax Forwarding Supported: Yes: Fax Phone TAM Interface Supported: No: Fax Polling Supported: Yes (poll to receive only); Fax Telephone Mode Supported: No: Junik Barrier Supported: Yes: Naximum Speed Dialing Numbers: Up to 1000 numbers (each with 210 destinations); PC Interface Supported: Yes; Remote Retrieval Capability Supported: No; Telephone Handest Supported: No	Minimum System Requirements	PC: 2 GB available hard disk space; OS hardware requirements see microsoft.com; MAC: 1.3 GB available hard drive space; Internet; OS hardware requirements see Apple.com for more info Description of the space of
		1 Ower	Power Supply Type: Internal (Built-in) power supply; Power Requirements: Input voltage: 110 to 127Var (+/- 10%), 220 to 240Vac (+/- 10%), 50/60 Hz (+/- 3%)
		Acoustics	Acoustic Power Emissions: 6.7 B(A) printing mono simplex using A4 paper at 60 ppm; Acoustic Pressure Emissions: 51 dB(A) printing mono simplex using A4 paper at 60 ppm
Standard Connectivity	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax modem port	Operating Environment	Comparing Temperature Range: 49 to 86%; Recommended Operating Temperature: 59 to 86%; Storage Temperature Range: 49 to 86%; Recommended Operating Temperature: 59 to 86%; Storage Temperature Range: 44 to 104%; Mon-Operating Humidity Range: 10 to 80%; RH; Operating Humidity
Network Capabilities	Standard (built-in Gigabit 10/100/1000T Ethernet)	Security Management	Range: 20 to 80% RH; Recommended Humidity Operating Range: 20 to 80% RH
Network Ready	Standard (built-in Gigabit 10/100/1000T Ethernet)	Security management	Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos
Wireless Capability	No wireless capabilities standard. There are optional accessories (common to all current Jedi products) that support wireless. These are listed in the connectivity section, above.	Accessories	Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in
Mobile Printing Capability	Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPP over TLS, IPSec/Friewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in ²		HP Cabinet Department Y1G16A, Dual Cassette Feeder (2x520) Department Y1F98A, 2000 Sheet HCI Department Y1G2 TA, 3000 Sheet side HCI Department Y1G20A, Inner Finisher Y1G00A, Inner Finisher Hole Punch 23 Y1G02A, Inner Finisher Hole Punch 24 Y1G03A, Inner Finisher Hole Punch Swedish Y1G04A, Stapler/Stacker Finisher Y1G18A, Stapler/Stacker Finisher Staples Y1G14A, Inner Finisher &
Memory	Standard: 7 GB; Maximum: 7 GB		Booklet Maker Staples Y1G13A, Booklet Finisher Y1G07A, Hole Punch 2/3 Y1G10A, Hole Punch 2/4 Y1G11A, Hole Punch Swedish Y1G12A, Job Separator Department Y1G01A, DOD CAC Card Reader
Processor Speed	1.2 GHz / Hard disk: Two 320 GB Standard, embedded HP High-Performance Secure Hard Disk,Total 640 GB; AES 256 hardware encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Sceure Frase-Vala Las, Secure ATA Erase-Disk). Note: U.S. government SKU uses 500GB FIPS 140-2 validated hard disk instead.		CC543B, SIPRNet - Classified Card Reader F8830A, FiH USB Foreign Interface Harness B513 A, Two internal USB ports for solutions B5L28A, HDD HP Secure High Performance Hard Disk Drive B5L29A, J JetDirect USB Wireless Print Server J8031A, HP JetDirect Wireless Print Server with NFC J8030A, HPAC Card Reader - HIP1 CZ208A, HPAC Card Reader - HIP1 X3D03A, HPAC Card Reader - HIP2 X3D03A, Analog Fax Accessory CC487A
Duty Cycle	Monthly, letter: Up to 300,000 pages	HP Service and Support Options	U9LR0E - HP 1 year Next Business Day Service w/Defective Media Retention for LaserJet E825xx MFP
Recommended Monthly Page Volume Media Types Supported	Up to 100,000 Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g,Heavy 111-130g, Mid-WitGlossy 96-110g, Hvy Glossy 111-130g, HP Matte 910g, HP Glossy 150g, Extra Heavy 131-175g, KHV/Glossy 131-175g, KHV/Glosy 131-175g, KHV/Gl		Managed; U9LR1E - HP 3 year Next Business Day Service w/Defective Media Retention for Laser let E825xx MFP Managed; U9LR2E - HP 4 year Next Business Day Service w/Defective Media Retention for Laser let E825xx MFP Managed; U9LR3E - HP 5 year Next Business Day Service w/Defective Media Retention for Laser let E825xx MFP Managed; U9LR8E - HP 3 year 4 hour 9x5 Service w/Defective Media Retention for Laser let E825xx MFP Managed; U9LR8E - HP 3 year 4 hour 9x5 Service w/Defective Media Retention for Laser let E825xx MFP Managed; U9LR8E - HP 3 year 4 hour 9x5 Service w/Defective Media Retention for Laser let E825xx MFP Managed; U9LR8E - HP 3 year 4 hour 9x5 Service MP Managed; UPLR5E - HP 3 year MP Managed; UPLR5E - HP 3 year 4 hour 9x5 Service MD Managed; UPLR5E - HP 3 year MP Managed; UPLR5E - HP 3 year 4 hour 9x5 Service MD Meter Media Retention for Laser Jet E825xx MFP Managed; UPLR5E - HP 3 year 4 hour 9x5 Service MD Meter Media Retention for Laser Jet E825xx MFP Managed; UPLR5E - MP 4 hour 9x5 Service MD Meter Media Retention for Laser Jet E825xx MFP Managed; UPLR5E - MP 4 hour 9x5 Service MD Meter Media Retention for Laser Jet E825xx MFP Managed; UPLR5E - MP 4 hour 9x5 Service MD Meter Media Retention for Laser Jet E825xx MFP Managed; UPLR5E - MP 4 hour 9x5 Service MD Meter Media Retention for Laser Jet E825xx MFP Managed; UPLR5E - MP 4 hour 9x5 Service MD Meter Media Retention for Laser Jet E825xx MFP Managed; MD Meter Media Retention for Laser Jet E825xx MFP Managed; MD Meter Media Retention for Laser Jet E825xx MFP Managed; MD Meter Media Retention for Laser Jet E825xx MFP Managed; MD Meter Media Retention for Laser Jet E825xx MFP Managed; MD Meter Media Retention for Laser Jet E825xx MFP Managed; MD Meter Media Retention for Laser Jet E825xx MFP Managed; MD Meter Media Retention for Laser Jet E825xx MFP Managed; MD Meter Met
		Learn more at	
		hn com	

hp.com

¹ Based on standard ITU-T test image #1 at standard resolution and MMR encoding, the HP fax device can transmit at 3 sec/page for V.3.4 and 6 sec/page for V.1.7² Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.³ Optional Wireless ¹ Declared yield value in accordance with ISO/IEC 17523. Actual yields vary considerably based on images printed and other factors. For more information, visit http://www.hp.com/go/learnaboutsupplies. Actual yields vary considerably based on images printed and other factors. For more information, visit http://www.hp.com/go/learnaboutsupplies. Actual yields vary considerably based on images printed and other factors. For more information see http://www.hp.com/go/learnaboutsupplies. Actual yields vary considerably based on images printed and other factors. For more information were application, driver, and document complexity.⁶ Average color composite black declared yields based on SO/IEC 13793. actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies.⁷ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

© Copyright 2017 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries.



Datasheet

HP LaserJet Managed Flow MFP E82560z



Businesses that stay ahead don't slow down. It's why HP built the next generation of HP LaserJet MFPs—to power productivity with a streamlined design that delivers premium quality, maximum uptime, and the strongest security.

Print Speed: Up to 60 ppm black; First Page Out: As fast as 6 sec black

Print Resolution: Black (best): Up to 1200 x 1200 dpi reduced speed

Standard Connectivity: 2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax modem port Standard Memory: Standard; 7 GB; Maximum: 7 GB

Mobile Printing Capability: Yes

Paper Handling: 100-sheet multi-purpose tray, 2 x 520-sheet input tray, 520-sheet input tray, 250 sheet ADF; 500 sheet face-down output bin

Display: 8.0-in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD)











High quality, low cost

- Print premium, professional-quality documents with sharp text and crisp graphics for a low cost.
- Get consistent, professional quality and performance you count on with Original HP toner cartridges and drums.
- Choose from a range of modular accessories designed to adapt to the needs of workgroups of all sizes.

Minimal interruptions. Maximum uptime.

- Avoid interruptions with an HP LaserJet Managed MFP designed to be streamlined for maximum productivity.
- Tailor this MFP to the needs of your business with a wide range of paper-handling accessories.
- Scan files directly to Microsoft[®] Office 365 and SharePoint, plus email, USB, and network folders.²
- Grab pages and go, without waiting. This HP LaserJet wakes up quickly and prints fast—up to 60 ppm.³

The world's most secure printing¹

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Help protect information on the MFP and in transit over the network. Store data on the encrypted hard disk.4
- Continually monitor to detect and stop attacks, then automatically reboot with run-time intrusion detection.
- Whitelisting checks firmware during startup to help ensure it's authentic, good code—digitally signed by HP.

Give workgroups the speed they need

- Help workgroups capture every page easily and detect potential errors or missed pages—every time.
- Enter data more quickly and accurately using the pull-out keyboard.
- Help ensure every scanned document is properly oriented, cropped to size, and grayscale-optimized.
- Load up to 250 pages into the automatic document feeder for fast, unattended scanning.

¹ Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims² Requires an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see http://www.hp.connected.com³ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.⁴ Some features require additional purchase. A FutureSmart service pack update may be required to activate security features. Learn more at http://www.hp.com/go/printerclaims. Scan speed measured from ADF at default 300 dpi (black-and-white, grayscale, and color). Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.



HP LaserJet Managed Flow MFP E82560z Specifications Table

Functions / Multitasking Supported	Print, Copy, Scan (fax and wireless optional) / Yes	Media Weight Supported	Tray 1, 2, 3: 16 to 78 lb bond (166 lb Index)
Print Speed	Letter: Up to 60 ppm black; First Page Out: As fast as 6 sec black; ²	Media Sizes Supported	Tray 1: Letter, Letter R, Legal, Executive, Statement, Oficio, 11 x 17, 12 x 18, 4 x 6, 5 x 7, 5 x 8,10 x 15
Print Resolution	Black (best): Up to 1200 x 1200 dpi reduced speed		8k, 16k, envelope #9, Envelope #10, Envelope Monarch, Tray 2: Letter, Letter R, Legal, Executive, Statement, Oficio, 4 × 6, 5 × 7, 5 × 8,10 × 15, 16k, envelope #9, Envelope #10, Envelope Monarch;
Print Technology	Laser		Tray3: Letter, Letter R, Legal, Executive, Statement, Oficio, 11 x 17, 12 x 18, 8k, 16k
Print Cartridges Number	1 (1 black cartridge)	Media Sizes Custom	Tray 1: 3.86 x 5.5 to 12.59 x 18 in; Tray 2: 3.86 x 5.5 to 11.69 x 15.35 in; Tray 3: 5.5 x 7.17 to 12.59 18 in
standard Print languages	HP PCL 6, HP PCL 5c, HP Postscript level 3 emulation, PDF (v 1.7), AirPrint™ compatible	Paper Handling	100-sheet multi-purpose tray, 2 x 520-sheet input tray, 520-sheet input tray, 250 sheet ADF; 500
Printer Smart Software Features	Neusinesses that stay ahead don't slow down. It's why HP built the next generation of HP Laser let MFPs—to power productivity with a streamlined design that delivers professional quality, maximum uptime, and the strongest security ¹ . Quality printing for a great value is a smart choice for any business. Produce premium, professional-quality documents at a competitive low cost with an HP Laser let MP built to make your work—and your business—took its best. Annowing interruptions and complex maintenance can slow down printing, and ultimately, the pace of business. Avoid pauses in productivity with an HP Laser let MPP designed for maximum uptime, so you can count on reliable. results day in and day out. Only HP. Enterprise printers repair themselves from attacks in real time, delivering built-in security to help keep your network safe. Automatically monitor threads, deter diminisions, and validate operating software with security offered only by HP. Accelerate workflow, improve accuracy, and easily connect people throughout your organization. Complete most some anio bis 3st—up to 180 imp ¹⁰ —and avoid extra steps with a Flow MPP designed for maximum productivity.		sheet face-down output bin; Duplex Options: Automatic (standard); Auto Document Feeder Capacity: Standard, 250 sheets; Envelope Feeder: No; Standard Paper Trays; 3; Input Capacities: Up to 520 sheets; Output Capacities: Up to 500 sheets; Up to 40 envelopes
		What's in the box	X3A74A Engine; TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assembly-CD WW; Hardware install and setup documentation; Support flyers. DOES NOT INCLUDE TONER
		Replacement Cartridges	HP Black Managed LJ Toner Cartridge (ISO Yield 69,000) W9014MC ⁶
		Product Dimensions	W x D x H : 23 x 30.3 x 36.7 in; Maximum : 47 x 66 x 30.5 in
		Product Weight	210.8 lb
		Warranty Features	90 day parts only. Extended Warranty and support options vary by product, country and local legal
Printer Management	Printer Administrator Resource Kit for HP Universal Print Driver (UPD Active Directory Administrator Template, Add Print Model to Comments, AutoUpgradeUPD, Driver Configuration Utility, Driver Deployment Utility, HP Managed Printing Administration, PRNCON EXE, HPPRLOG, Migrate-Server-Tools, UpdateNow, Remove Plug and Pay, Drivers', HP Web Jetadmin Software, Resource Kit for HP Web Jetadmin (HP SNMP Proxy Agent, HP WS Pro Proxy Agent); HP JetAdvantage Security Manager		requirements. Go to http://www.hp.com/support to learn about HP award winning service and suppo options in your region.
		Energy Efficiency Compliance	Energy Star; Blue Angel; EPEAT silver
		Control Panel	8.0- in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware
Scan Type / Technology	Flatbed, ADF / Platen Scanner CCD Digital-CIS		Integration Pocket; Extended Keyboard
Scan Resolution	Hardware: Up to 600 x 600 dpi; Optical: Up to 600 x 600 dpi	Display Description	8.0-in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD)
Scan File Format	Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, KPS, PDFA, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDFA (OCR), HTML (OCR), CSV (OCR), Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, KPS, PDFA, TEXT (OCR), Unicode TEXT (OCR), MTI (OCR), Searchable PDF (OCR), Searchable PDFA (OCR), HTML (OCR), CSV (OCR); Print from easy access USB: PDF, PS, Print Ready files (pm, pcl, cht)	Software Included	HP Connected, HP Device Experience (DXP), HP PCL 6 Printer Driver, HP Software Installer/Uninstaller, Mac OS Welcome Screen (Directs users to 123.HP.com or OS App Source for printer software), Online user manuals
		Fonts and Typefaces	84 scalable TrueType fonts
Scan Input Modes	Front panel applications: Copy; E-mail; Fax; Save to Network Folder; Save to USB; Save to Device	Compatible Operating Systems	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise
Scan Size	Memory; Open Extensibility Platform (OXP) applications		(6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.1 Sierra, OS X 10.10 Yosemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions
Scan Speed	ADF: 11 x 17 in Maximum; 4.3 x 5.5 in Minimum; Flatbed: 11 x 17 in Up to 120 ppm/240 ipm (b&w), up to 120 ppm/240 ipm (color) ⁷ Duplex: Up to 240 ipm (b&w), up to 240 ipm (bab), up to 240 ipm (color)		Sietra, US X 10: 10 Yostemute, US X 10: 11 EL Bajancia VINIX, Window'S 10 ali 32-6 seb-41 teathors (excluding RT OS for Tablets), Windows X ali 32-8 64-bit editions, Windows 8/8.1 ali 32-6 64-bit editions (excluding RT OS for Tablets), Windows Vista ali 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP 593 32-bit editions (XP Home, XP Pro, etc.)
Scanner Advanced Features	Scan-to-E-mail; Scan-to-network folder (stand alone solution); Scan to Cloud; Scan to USB	Compatible Network Operating	Citrix MetaFrame Presentation Server 3.0, Citrix MetaFrame XP Presentation Server (Feature Release
Bit depth / Grayscale levels	24-bit / 256	Systems	2, and 3), Citrix on Windows Server 2003/2003R2, Citrix on Windows Server 2008/2008R2/2008 R2 SP1, Citrix on Windows Server 2012/2012R2, Citrix Presentation Server 40.46, S. Citrix XenApp 5.0 (P Feature Pack 2 & 3) for Windows Server 2008 Terminal Services 32 - and 64-bit, Citrix XenApp 6.0 (F. [for Windows Server 2008 R2 SP1 Terminal Services, 32 - and 64-bit, Citrix XenApp 6.5 (F. Strix) Windows Server 2008 R2 SP1 Terminal Services, 32 - and 64-bit, Citrix XenApp 5.5 (for Windows Server 2012 and 2012 R2 Terminal Services, 32 - and 64-bit, Citrix XenApp 5.5 (for Windows Server 2008 R2 Services 30 - 46-bit, Citrix XenDesktop 5.6 (for Windows Server 2008 R2 Services 30 - 46-bit), Citrix XenDesktop 5.6 (for Windows Server 2008 R2 Services 30 - 46-bit), Citrix XenDesktop 5.6 (for Windows Server 2008 R2 Services 30 - 46-bit), Citrix XenDesktop 5.6 (for Windows Server 2008 R2 Services 30 - 46-bit), Citrix XenDesktop 5.6 (for Windows Server 2008 R2 Services 30 - 46-bit), Citrix XenDesktop 5.6 (for Windows Server 2008 R2 Services 30 - 46-bit), Citrix XenDesktop 5.6 (for Windows Server 2008 R2 Services 30 - 46-bit), Citrix XenDesktop 5.6 (for Windows Server 2008 R2 Services 30 - 46-bit), Citrix XenDesktop 5.6 (for Windows Server 2008 R2 Services 30 - 46-bit), Citrix XenDesktop 5.6 (for Windows Server 2008 R2 Services 30 - 46-bit), Citrix XenDesktop 5.6 (for Windows Server 2008 R2 Services 30 - 46-bit), Citrix XenDesktop 5.6 (for Windows Server 2008 R2 Services 30 - 46-bit), Citrix XenDesktop 5.6 (for Windows Server 2008 R2 Services 30 - 46-bit), Citrix XenDesktop 5.6 (for Windows Server 2008 R2 Services 30 - 46-bit), Citrix XenDesktop 5.6 (for Windows Server 2008 R2 Services 30 - 46-bit), Citrix XenDesktop 5.6 (for Windows Server 2008 R2 Services 30 - 46-bit), Citrix XenDesktop 5.6 (for Windows Server 2008 R2 Services 30 - 46-bit), Citrix XenDesktop 5.6 (for Windows Server 2008 R2 Services 30 - 46-bit), Citrix XenDesktop 5.6 (for Windows Server 2008 R2 Services 30 - 46-bit), Citrix XenDesktop 5.6 (for Windows Server
Digital Sending Standard Features	Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to Sharepoint; Send to FTP; Send to sFTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Frase; Auto Color Sense; Auto Corp To Content; Compact PDF; Auto Tonescale; Auto Orientation; Multi-Pick Detect; Auto Straighten; Auto Crop To Page		
Copy Speed	Black (letter): Up to 60 cpm		Terminal Services, 32- and 64-bit], Citrix XenDesktop 7.0/7.5 [for Windows Server 2012 and 2012 R2 Terminal Services, 64-bit], Novell NetWare 6.5/SP8 Novell Clients www.novell.com/iprint, Novell iPrin
Copy Resolution	Black (text and graphics): Up to 1200 × 1200 dpi reduced speed; Up to 1200 × 1200 dpi reduced speed; Color (text and graphics): Up to 1200 × 1200 dpi reduced speed		Appliance v1.0, Novell Open Enterprise Server 11/SP1, Novell Open Enterprise Server 2 for Linux, No Servers www.novell.com/iprint), Windows Server 2003/2003 R2 32-/64-bit (SP1/SP2) Standard/Enterprise/Dataenter (+ Cluster & Terminal Services), Windows Server 2003/2003 R2 32- (SP1/SP2), Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 32-/64-bit (SI
Maximum Number Of Copies	Up to 999 copies		
Copier Resize	25 to 400%		Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 R2 64-bit (SP1) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32-/64-bit
Copier Settings	Two-sided copying; scalability; image adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (text, mixed, printed picture, photograph), N-Up; N or Z-ordering; content orientation; collation; booklet; ID Scar; job build; job Storage; watermark; stamps; book mode scans; erase edges; automatically detect color/mono; image Preview		Schwadz Lice prof 1: - buside in therminator of the schwadzy, whiteway are in solution of the provide 12 more schwadzy (SP1) (SP2) Standard/Finetrprise/Datacenter (+ Cluster & Terminal Services), Windows Serv 2012/20 R2 64-bit Standard/Foundation/Essential/Datacenter (+ Cluster & Terminal Services), Windows Serv 2016) (-64-bit Standard/Fisential/Datacenter (+ Cluster & Terminal Services), Windows Serv 2016) (-64-bit Standard/Fisential/Datacenter (+ Cluster & Terminal Services)
Fax Speed		Minimum System Requirements	PC: 2 GB available hard disk space; OS hardware requirements see microsoft.com; MAC: 1.3 GB availab
	Up to: 33.6 kbps; Letter: 3 sec per page ¹	-	hard drive space; Internet; OS hardware requirements see Apple.com for more info
Fax Resolution Fax Features	Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi Fax Memory: Up to 5000 pages; Auto Fax Reduction Supported: Yes; Auto-Redualing, Yes; Fax Delayed Sending; No; Distinctive Ring Detection Supported: No; Fax Forwarding Supported: Yes; Fax Phone TAM Interface Supported: No; Fax Polling Supported: Yes; Maximum Speed Dialing Numbers: Up to 1000 numbers (each with 210 destinations); F. Interface Supported: Yes; Rearded Dialing Numbers: Up to 1000 numbers (each with 210 destinations); F. Interface Supported: Yes; Remote Retrieval Capability Supported: No; Telephone Handset Supported: No	Power	Power Supply Type: Internal (Built-in) power supply; Power Requirements: Input voltage: 110 to 127v (+/- 10%), 220 to 240Vac (+/- 10%), 50/60 Hz (+/- 3%)
		Acoustics	Acoustic Power Emissions: 6.6 B(A) printing mono simplex using A4 paper at 40 ppm; Acoustic Pressu Emissions: 51 dB(A) printing mono simplex using A4 paper at 60 ppm
		Operating Environment	Operating Temperature Range: 59 to 86%; Recommended Operating Temperature: 59 to 86%; Stora Temperature Range: 14 to 104%; Non-Operating Humidity Range: 10 to 80% RH: Operating Humidity Range: 20 to 80% RH: Recommended Humidity Operating Range: 20 to 80% RH
Standard Connectivity	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax modem port	Security Management	Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP,
Network Capabilities	Standard (built-in Gigabit 10/100/1000T Ethernet)		EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in
Network Ready	Standard (built-in Gigabit 10/100/1000T Ethernet)	Accessories	HP Cabinet Department Y1G16A, Dual Cassette Feeder (2x520) Department Y1F98A, 2000 Sheet HC
Wireless Capability	No wireless capabilities standard. There are optional accessories (common to all current Jedi products) that support wireless. These are listed in the connectivity section, above.		Department V1621A, 3000 Sheet side HCI Department V1620A, Inner Finisher V1600A, Inner Finishe Hole Punch 2/3 V1602A, Inner Finisher Hole Punch 2/4 V1603A, Inner Finisher Hole Punch Swedish V160AA, Stapler/Stacker Finisher V161BA, Stapler/Stacker Finisher Staples V161AA, Inner Finisher & Booklet Maker Staples V1613A, AB ooklet Finisher V1607A, Hole Punch 2/3 V1610A, Hole Punch 2/4 V1611A, Hole Punch Swedish V1612A, Job Separator Department V1601A, D0D CAC Card Reader CC543B, SIPRNet - Classified Card Reader FBB30A, Filt USB Foreign Long AD Dia Chard Card Reader CC543B, SIPRNet - Classified Card Reader FBB30A, Filt USB Foreign Hortor Autor BSL23A, Ince Card Reader - HIP1 C208A, HPAC Card Reader - HIP1 X3D03A, HPAC Card Reader - HIP1 C208A, HPAC Card Reader - HIP1 C208A, HPAC Card Reader - HIP1 X3D03A, HPAC Card Reader - HIP2 X3D03A, Analog Fax Accessory CC487A U9LRDE - HP1 V208A Next Business Day Service w/Defective Media Retention for Laser Jet B25xx MFF Managed; USIRTE - HP3 vaer Next Business Day Service w/Defective Media Retention for Laser Jet B25xx MFF
Mobile Printing Capability	Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP-PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WIA-10 IPsec Configuration using IPsec Plug-in ³	HP Service and Support Options	
Memory	Standard: 7 GB; Maximum: 7 GB		
Processor Speed	1.2 GHz / Hard disk: Two 320 GB Standard, embedded HP High-Performance Secure Hard Disk,Total G40 GB; AES 256 hardware encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk). Note: U.S. government SKU uses 500GB FIPS 140-2 validated hard disk instead.		
Duty Cycle	Monthly, letter: Up to 300,000 pages		E825xx MFP Managed; U9LR2E - HP 4 year Next Business Day Service w/Defective Media Retention f LaserJet E825xx MFP Managed; U9LR3E - HP 5 year Next Business Day Service w/Defective Media
Recommended Monthly Page Volume			Retention for Laser Jet E825xx MFP Managed; U9LR4E - HP 3 year 4 hour 9x5 Service w/Defective
Media Types Supported	Plain, HP EroEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g,Heavy 111-130g, Mid-WtGlossy 96-110g, Hvy Glossy 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, MivgGlossy 131-175g, HP Matte 2004, HP Glossy 2002, Grartok 176-220d, Lidth Paperboard 221-255g,	Learn more at	Media Retention for Laser let E825xx MFP Managed; U9LRSE - HP 4 year 4 hour 9x5 Service w/Defective Media Retention for Laser let E825xx MFP Managed
	Matte 2009, HP Liossy 2009, Larstock 176-2209, Lard Liossy 176-2209, Light Paperboard 221-2559, Paperboard 256-3009, Heavy Paperboard, Color Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprinted, Prepunched, Colored	hp.com	

¹ Based on standard ITU-T test image #1 at standard resolution and MMR encoding, the HP fax device can transmit at 3 sec/page for V.14 and 6 sec/page for V.17² Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/pinterclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.³ Optional Wireless ⁴ Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies. ⁵ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see

http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.⁶ Average color composite black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies ⁷ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

© Copyright 2017 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR and the ENERGY STAR and the ENERGY STAR and the U.S. and other countries.

