

Experience a new height of efficiency

The ECOSYS MA4000wifx series adapts to your challenges.



ECOSYS MA4000wifx ECOSYS MA4000x ECOSYS PA4000wx ECOSYS PA4000x

With the ECOSYS MA4000wifx series you get:

- Speedy A4 print to 40 pages ppm.
- 5GHz Wireless LAN featuring Wi-Fi Direct support.
- Reduced operating costs with cutting-edge, durable technology.
- Easy-to-use design ideal for installation in compact spaces.
- Performance improvement by changing the controller system
 - Improve printing performance for PDF data
 - Improve the number of continuous scanning pages
 - Improve scanning speed for duplex documents



Evolution of ECOSYS

ECOLOGY - Providing energy-saving, silent design and compact design, realize top-class environment support in the industry.

ECONOMY - Providing lower CPP and longer life-time design, enhance TCO competitiveness.

SYSTEM - Provide reliable machines by assuring compatibility with the legacy machines / improvement of stable operation / adding the function of streamlining duties

KYOCERA Document Solutions strives to be a company that contributes to the society and demonstrates a "Customer First" principle by providing customers with maximum value to increase their satisfaction. By adhering to the mission of producing document management devices that take balance between "Economy" and "Ecology", KYOCERA Document Solutions succeeds to develop document management devices with advanced technologies which help customers to optimize office productivity and efficiency at a low total cost of ownership and, at the same time, improving environmental performance.



Improved features for daily tasks

Enhance printer visibility

5-line LCD panel makes it larger and easier to see. It also makes it easy to type using the numeric keypad.



* Available on PA4000wx/PA4000x models.

Capturing A6-sized documents

The duplex automatic document feeder enables quick scanning of A6 payment slips, delivery notes, and invoices for same-day digital processing, enhancing workflow efficiency.





Multiple cropping

Equipped with a multi-crop function* that allows you to scan multiple documents at once by arranging them on the platen (glass surface). Receipts and business cards can be efficiently converted into electronic data.

- * Only available on ECOSYS MA4000wifx (compatible with HyPAS model)
- * An additional HyPAS application and SD card are required.








Autosave by page or file

Simple Installation

Add "Wi-Fi Easy Setup" to the "Network Selection" section of the initial setup wizard to assist users unfamiliar with MFPs. This feature allows Wi-Fi configuration through the "Kyocera Printer Setup Tool" on computers or mobile devices, removing the need for USB cables or the WPS button. It is also accessible in the system menu.







Secure Your Business

Guards against malware and prohibit the execution of unknown programs, while mitigating security risks with document information leakage prevention.

+ Keep your system updated Your equipment is monitored 24/7, and firmware updates are automatically applied remotely to keep it current and secure*.

- + Watermark Printing
 Watermark printing is visible only on copies, distinguishing originals
 from duplicates and protecting against information leaks.
- + Prevents unauthorized software interference
 Harmful programs like viruses can't function without the necessary
 permissions, preventing infections and allowing you to use the
 machine worry-free.
- + Restrict access Enhance printer security by configuring the IP filter to restrict access to your network and block unauthorized users.



Streamlining Business Process

The MA4000wifx is compatible with HyPAS™, a Kyocera-developed software platform that expands your MFP's core capabilities with powerful customisation.



+ KYOCERA MyPanel Remote control designated KYOCERA printing devices by smartphone or tablet.




+ KYOCERA Net Manager*
Control sensitive documents
and reduce printing costs.




+ KYOCERA Mobile Print Conveniently print files, web pages and images using smartphone or tablet.



+ Kyocera Cloud Print and Scan*
Models not using the HyPAS
platform can still connect to KCPS,
allowing users to access features
like cloud scanning, cloud printing,
user management, and print
management.







^{*} KFS(KYOCERA Fleet Services) or Service Contract is required.

Simplify Document Workflow


These highly productive monochrome multifunctionals support business workgroup of all sizes by packing power and productivity in a small footprint. They deliver flexibility, high level of functionality and advanced reliability while reducing environmental impact which make them ideal for workgroups seeking for superior performance.













Eco-friendly

Long life design

Enhances resource conservation by using a long-life drum, reducing the need for frequent replacements and accumulation of discarded components.



Eco-friendly Packaging

Through the use of environmentally friendly materials that are easily recyclable, we have improved the cushioning and packaging durability of both the main unit and toner using innovative techniques.



Improved Quietness

By reviewing the cooling structure, quietness during machine operation has been further improved, allowing it to not interfere with the work in a quiet office. In addition, "Quiet mode" can provide an even more comfortable experience.



52dB (A)

Improved Sleep Mode Power Consumption

Equipped with the latest controller to reduce power consumption during sleep and contribute to energy saving.

*For ECOSYS MA4000wifx series: 0.4W; ECOSYS PA4000wx series: 0.3W





Energy-efficient design.

The upgraded planar heater fuser is now optimized for compatibility with monochrome medium-speed machines, improving its efficiency in converting electrical energy into thermal energy and resulting in superior energy-saving performance.



		Main Specifications		
Model		ECOSYS MA4000x ECOSYS MA4000fx	ECOSYS MA4000wifx	
Main Function		Copy, Print, Scan, Fax (ECOSYS MA4000fx/MA4000wifz	conly)	
Processing Method		Laser exposure dry electrostatic transcription		
CPU		ARM Cortex A53 single 1.0GHz		
Print Speed (A4) (Mono)		40 ppm		
Scanning Speed	300dpi	Simplex (Mono/Color): 40ipm/23ipm, Duplex(Mono/Color): 80ipm/46ipm		
A4) Simplex/Duplex	600dpi	Simplex (Mono/Color): 40ipm/23ipm, Duplex(Mono/Color): 36ipm/14ipm		
Mono/Color)	ооофі			
Memory		Standard 1GB (Max. 1GB)	Standard 2GB (Max. 2GB)	
Warm Up Time	<u> </u>	19 seconds	29 seconds	
Paper Capacity	Standard	250 sheets (Cassette) + 100 sheets (MPT)		
	Maximum	850 sheets (Main Unit + 250 sheets PF-1100 x2 + MPT)		
Paper Size	Cassette	Min. A6R - Max. A4 (Legal)		
	Option	Min. A6R - Max. A4 (Legal)		
	MPT	Min. 70mm x 148mm - Max. A4 (Legal)		
	Cassette	60 - 163 g/m²		
Paper Weight	Option	60 - 163 g/m²		
3	MPT	60 - 220 g/m²		
Junley Printing	1	60 - 220 g/m² Paper size: A5R - A4/Legal; Paper weight: 60 - 163 g/m²		
Ouplex Printing			/111	
Output Capacity		Max. 150 sheets face-down	421 161 - 11	
Control Panel		5 lines LCD (128(W) x 64(H) Dot display)	4.3 inch Color Touch LCD Panel	
Document Processor		Standard (Max. 50 sheets one-path duplex scanning Type)		
Dimension (W x D x H) (N	Main Unit)	417mm x 412mm x 437mm		
Veight (Main Unit)		Approx. 19.0kg *excluding the toner container		
Power Consumption	Copy/Print Mode	574.4 W		
Power Consumption Standard configu-	Stand-by Mode	10.8 W	11.8 W	
ation)	Energy Saver	0.4 W		
	Copy/Print Mode	52dB(A); Quiet Mode: 48dB(A)		
Noise ISO7779/ ISO9296)	Stand-by Mode			
•	Stariu-by Mode	29dB(A)		
		Copy Functions (Standard)		
Copy Size		Min. 100mm x 148mm - Max. A4 (Legal)		
Resolution		600 x 600 dpi		
First Copy Time (Mono/Color)		6.4 seconds or less		
Zoom Ratio (Manual)		25% - 400% (1% per Step)		
Multiple Copy		1 – 999		
		Print Functions (Standard)		
Resolution		300 x 300 dpi, 600 x 600 dpi, Fast1200, Fine1200		
	<u>. </u>	PCL6 (PCL5e, PCL-XL), KPDL3 (Postscript 3 compatible), PRESCRIBE, Line Printer, IBM Proprinter,		
PDL/Emulations		Epson LQ-850, PDF Direct Print Epson LQ-850, PDF Direct Print		
First Print Time		6.4 seconds or less		
Interface		USB 2.0 High Speedx1; Ethernet 10BASE-T/100BASE-TX/1,000BASE-T;		
Interface		USB Host Interface (USB Host)x1; 802.11b/q/n/ac/Wireless LAN/WiFi Direct (ECOSYS MA4000wifx only)		
Network Printing		TCP/IP, FTP, LPR, Port9100, NetBEUI, Apple Bonjour		
		Data printing of E-mail received data		
E-mail printing		Data format : PDF, PS, Text, TIFF, JPEG, XPS, OpenXPS		
Secure printing		IPP over TLS		
Mobile Printing		AirPrint, Mopria, KYOCERA Mobile Print. KYOCERA MyPanel		
		Scan Functions (Standard)		
Send Size		Min. 50mm x 50mm - Max. A4 (Legal)		
Resolution		600dpi, 400dpi, 300dpi, 200dpi, 200x400dpi, 200x100dpi, 1200x1200dpi (Only TWAIN driver and WIA driver)		
File Format		TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JEPG/High-compression PDF), PDF/A		
Image Type Mode		Text, Photo, Text + Photo, Light text + Fine line, Text (for OCR)		
		Scan to SMB; Scan to E-mail; Scan to FTP or FTP over TLS; Scan to USB; TWAIN Scan; WSD Scan, WIA Scan		
Image Type Mode Transmission Type				
Fransmission Type		300 addresses (Common address list), 50 groups (Group a	ddress list)	
Transmission Type		300 addresses (Common address list), 50 groups (Group a Fax Functions (Optional*)	ddress list)	
Fransmission Type Address Storage			ddress list)	
Transmission Type Address Storage Original Size		Fax Functions (Optional*)	ddress list)	
Transmission Type Address Storage Original Size Coding Method		Fax Functions (Optional*) Min. A6R - Max. A4 (Legal)	ddress list)	
Transmission Type Address Storage Driginal Size Coding Method Transmission Speed		Fax Functions (Optional*) Min. A6R - Max. A4 (Legal) MMR, MR, MH, JBIG	ddress list)	
Transmission Type Address Storage Driginal Size Coding Method Transmission Speed Transmission Time		Fax Functions (Optional*) Min. A6R - Max. A4 (Legal) MMR, MR, MH, JBIG 33.6 kpbs	ddress list)	
Transmission Type Address Storage Driginal Size Coding Method Transmission Speed Transmission Time		Fax Functions (Optional*) Min. A6R - Max. A4 (Legal) MMR, MR, MH, JBIG 33.6 kpbs 3 sec. or less	ddress list)	
Address Storage Original Size Coding Method Fransmission Speed Fransmission Time Network FAX		Fax Functions (Optional*) Min. A6R - Max. A4 (Legal) MMR, MR, MH, JBIG 33.6 kpbs 3 sec. or less Yes Consumables & Options TK-1275 (7,200 pages)	ddress list)	
Address Storage Original Size Coding Method Fransmission Speed Fransmission Time Network FAX Foner Kit Page Yield in accordance		Fax Functions (Optional*) Min. A6R - Max. A4 (Legal) MMR, MR, MH, JBIG 33.6 kpbs 3 sec. or less Yes Consumables & Options TK-1275 (7,200 pages) TK-1285 (12,000 pages)	ddress list)	
Address Storage Original Size Coding Method Fransmission Speed Fransmission Time Network FAX Foner Kit Page Yield in accordance Capacity of Start up Tone		Fax Functions (Optional*) Min. A6R - Max. A4 (Legal) MMR, MR, MH, JBIG 33.6 kpbs 3 sec. or less Yes Consumables & Options TK-1275 (7,200 pages) TK-1285 (12,000 pages) 3,600 pages		
		Fax Functions (Optional*) Min. A6R - Max. A4 (Legal) MMR, MR, MH, JBIG 33.6 kpbs 3 sec. or less Yes Consumables & Options TK-1275 (7,200 pages) TK-1285 (12,000 pages)		

 $[\]hbox{*\it Fax function only available on ECOSYS MA4000 fx and MA4000 wifx models.}$

		Main Specifications	
Model		ECOSYS PA4000x ECOSYS PA4000wx	
Туре		Desktop	
Processing Method		Laser exposure dry electrostatic transcription	
Print Speed (A4) (Mono)		40 ppm	
First Print Time		6.4 seconds or less	
Warm Up Time		15 seconds	
Resolution		300 x 300 dpi, 600 x 600 dpi, Fast1200, Fine1200	
Duplex Printing		Paper size: A5R - A4/Legal; Paper weight: 60 - 163 g/m²	
Control Panel		5 lines LCD (128(W) x 64(H) Dot display)	
	Copy/Print Mode	555.9 W	
Power Consumption (Standard configuration)	Stand-by Mode	6.0 W	
comiguration)	Energy Saver	0.3 W	
Noise	Copy/Print Mode	52dB(A); Quiet Mode: 48dB(A)	
(ISO7779/ ISO9296)	Stand-by Mode	29dB(A)	
Dimension (W x D x H) (Main Unit)		375mm x 393mm x 272mm	
Weight (Main Unit)		Approx. 14.0kg *excluding the toner container	
		Controller	
CPU		ARM Cortex A53 single 1.0GHz	
Memory		Standard 512MB (Max. 512MB)	
Interface		USB 2.0 High Speedx1; Ethernet 10BASE-T/100BASE-TX/1,000BASE-T; USB Host Interface (USB Host)x1; 802.11 b/g/n/ac/ Wireless LAN/WiFi Direct (ECOSYS PA4000wx only)	
PDL/Emulations		PCL6 (PCL5e, PCL-XL), KPDL3 (Postscript 3 compatible), PRESCRIBE, Line Printer, IBM Proprinter, Epson LQ-850, PDF Direct Print	
Network Printing		TCP/IP, FTP, LPR, Port9100, NetBEUI, Apple Bonjour	
E-mail printing		Data printing of E-mail received data Data format : PDF, PS, Text, TIFF, JPEG, XPS, OpenXPS	
Secure printing		IPP over TLS	
Mobile Printing		AirPrint, Mopria, KYOCERA Mobile Print, KYOCERA MyPanel	
		Paper Handling	
Paper Capacity	Standard	250 sheets (Cassette) + 100 sheets (MPT)	
	Maximum	850 sheets (Main Unit + 250 sheets PF-1100 x2 + MPT)	
	Cassette	Min. A6R - Max. A4 (Legal)	
Paper Size	Option	Min. A6R - Max. A4 (Legal)	
	MPT	Min. 70mm x 148mm - Max. A4 (Legal)	
	Cassette	60 - 163 g/m²	
Paper Weight	Option	60 - 163 g/m²	
	MPT	60 - 220 g/m ²	
Output Capacity		Max. 250 sheets face-down	
Tanas Vit		Consumables & Options	
Toner Kit (Page Yield in accordance with ISO/ IEC 19752)		TK-1265 (7,200 pages)	
Capacity of Start up Toner		3,600 pages	
Maintenance Kit		MK-1265 (70,000 pages) (Except Taiwan, Korea, Philippines)	
Paper Feeder		PF-1100: 250 sheets (Max. x2)	
Card Authentication		Card Authentication Kit(B)	



KYOCERA Document Solutions Asia Limited

13/F, Mita Centre, 552-566 Castle Peak Road, Tsuen Wan, N.T., Hong Kong

Tel: +852-2496-5678 / Fax: +852-2610-2063

www.kyoceradocumentsolutions.asia