TOSHIBA

E-STUDIO338cs

Product brochure

- These all-in-one A4 colour multifunctional devices cover your daily business requirements with print, copy, scan and fax functions.
- The e-STUDIO338cs and e-STUDIO388cs help streamline your business' document workflow with a productivity of up to 33/38 pages per minute.
- Cutting edge technology ensures your colour print jobs do not come to a halt, simply select to continue printing in monochrome instead.
- Impeccable print quality ensures consistent yet impressive document output, from the first print to the last.





AN ASSET TO ANY WORKGROUP


The e-STUDIO338cs and e-STUDIO388cs are an asset to any business or workgroup that requires productivity, reliability and ease of use. These compact A4 multifunctional devices offer a remarkable image quality that give your documents the wow-factor.

Even challenging print jobs can be fullfilled, thanks to a clever range of options and solutions. A maximum paper capacity of 1,451 sheets ensures large print jobs run with ease. The optional Dual Scan Document Feeder of the e-STUDIO388cs allows your business to move to digitalisation easier and quicker than ever, with its speedy processing time of up to 94 images per minute.

The tiltable, colour touch panel and keypad offer a straightforward way to access all the device's functions and features. At Toshiba we take the privacy of your data seriously, so an optional card reader can be added to the e-STUDIO388cs for an extra layer of security – giving you full control over who has access to sensitive business data.



CONFIGURATION



SPECIFICATIONS

General

Print Speed 33/38 ppm

Warm-up Time ~ 16 seconds (from sleep mode)

Paper Size & Weight Cassette: A6-A4/custom, 60-176 g/m²

Bypass: 76 x127 mm - 216 x 356 mm, 60-176 g/m²

Paper Capacity Cassette: 1x 250 sheets Max.: 1,451 sheets

Inner Output Tray 150-sheet capacity **Automatic Duplex** A4/custom, 60-105 g/m²

Control Panel 10.9 cm (4.3") colour touch panel (tiltable)

Memory Standard: 2 GB

Max.: 6 GB

Interface 10Base-T/100Base-TX/1000Base-T (incl. IPv6),

High Speed USB 2.0, WLAN1) (IEEE802.11ac/a/b/g/n)

Dimensions & Weight

442 x 507 x 462 mm (W x D x H), ~ 27.2 kg

442 x 507 x 462 mm (W x D x H), ~ 27.4 kg

Initial Consumables Starter Toner and Imaging Unit

Print

Resolution Max. 1,200 x 1,200 dpi **First Print Output Time** ~ 8,5/8 seconds

Page Description Language

PCL 5, PLC 6 emulation, PostScript 3 and PDF v1.7 emulation, XPS, PPDS

Supported Systems

Windows 10/8/8.1/7, Windows Server 2016/Server 2012/Server 2008 (32/64 bit), Windows Server 2012 R2/ Server 2008 R2 (64 bit), Mac OS X 10.6-10.13,

Linux/Unix, Novell NetWare, Citrix, SAP

Mobile Printing AirPrint, Mopria Print Service, Google Cloud Print

Universal Printer Driver, Print from USB, Print from **Print Functions** SharePoint¹⁾, Multiple pages per sheet, Envelope

printing

Scan

Resolution Colour: max. 600 x 600 dpi

Monochrome: max. 600 x 600 dpi

Scan Speed e-STUDIO338cs:

Simplex: colour/monochrome 30/47 ipm (300 dpi) Duplex: colour/Monochrome 13/21 ipm (300 dpi)

Simplex: colour/monochrome 30/60 ipm (300 dpi) Duplex: colour/monochrome 47/94 ipm (300 dpi)

Simplex/duplex: 50 sheets2), 100 sheets3), **Document Feeder**

A6-A4/custom, 52-120 g/m²

File Formats TIFF, JPEG, PDF, PDF/A, Secure PDF, XPS

Scan Functions WS Scan, Scan to E-Mail, Scan to USB, Scan to

File, Scan to SharePoint1), Scan preview,

e-STUDIO Scan, TWAIN

Copy

Resolution Max. 600 x 600 dpi **First Copy Output Time** ~ 8.5/8 seconds Zoom 25-400%

Text, Text/Photo, Photo, Graphics Copy Modes

Copy Functions Multiple pages per copy, Margin shift, ID Card copy

Fax

Communication Super G3

Transmission Speed ~ 3 seconds per page

JBIG, JBIG2, MMR, MR, MH, JPEG Compression

Fax Functions Colour fax, Speed dial (up to 500 destinations),

Group dialing, Network fax

Incoming Fax Routing To shared folders. E-Mail

System & Security

Device Management e-BRIDGE Fleet Management System¹⁾

System Features Energy saving modes, Automatic toner saturation/

colour calibration

Private print, IP address filter, Port filter, **Accounting & Security**

Support of SNMPv3, SSL and IPSec protocols, 802.1x authentication1), Operator panel lock4),

Disk wipe4)

Options

550-sheet Drawer 550-sheet capacity,

A5-A4, 60-176 g/m²

1x cassette, 550-sheet capacity, 650-sheet Duo-drawer

A5-A4, 60-176 g/m²⁰

1x bypass, 100-sheet capacity,

A6-A4, 60-176 g/m²

Swivel Cabinet

Adjustable Printer Stand

User Flash Memory

Memory Expansion (4GB)

Hard Disk Drive²⁾

Wireless LAN Module

Forms & Barcode Card

PRESCRIBE Card

Security Element³⁾

Keyboard - English3)





2) e-STUDIO338cs only

³⁾ e-STUDIO388cs only

4) e-STUDIO338cs requires optional HDD





About Toshiba Tec

Toshiba Tec Germany Imaging Systems GmbH is part of the globally operating Toshiba Tec Corporation, active in various high-tech industrial sectors.

Toshiba Tec Corporation is a leading provider of information technology, operating across multiple industries – ranging from retail, education and business services to hospitality and manufacturing. With headquarters in Japan and over 80 subsidiaries worldwide, Toshiba Tec Corporation helps organisations transform the way they create, record, share, manage and display information.

For more information please contact us:

Toshiba Tec Germany Imaging Systems GmbHCarl-Schurz-Str. 7
41460 Neuss
Germany

Telephone +49 2131-1245-0

Website

www.toshibatec.eu

Together Information is Toshiba's vision for how people and organisations create, record, share, manage and display ideas and data.

It is based on our belief that the most successful organisations are those that communicate information in the most efficient way.

We make that possible through an integrated portfolio of industryspecific solutions, all of which reflect Toshiba's commitment to the future of the planet.

L _

